



TAMIL NADU GOVERNMENT GAZETTE

PUBLISHED BY AUTHORITY

No. 16]

CHENNAI, WEDNESDAY, APRIL 28, 2010
Chithirai 15, Thiruvalluvar Aandu-2041

Part II—Section 2

Notifications or Orders of interest to a section of the public
issued by Secretariat Departments.

NOTIFICATIONS BY GOVERNMENT

CONTENTS

	<i>Pages.</i>		<i>Pages.</i>
ENVIRONMENT AND FORESTS DEPARTMENT		LABOUR AND EMPLOYMENT DEPARTMENT	
Tamil Nadu Forest Act:		Industrial Disputes Act—Disputes between Workmen and Managements referred to Industrial Tribunal for Adjudication	222-223
Declaration of Bodi North Hills Forest Block, Bodinayakanur Taluk, Theni District as Reserved Forest	182-221	Tamil Nadu Manual Workers (Regulation of Employment and Conditions of Work) Act— Amendment to Notification	223
Amendments to Notification	221-222	PUBLIC DEPARTMENT (Law officers)	
HEALTH AND FAMILY WELFARE DEPARTMENT		Citizenship Act—Preparation of National Population Register in the Country	223
Drugs and Cosmetics Act—Authorisation to the Police Officers of and above the rank of Deputy Superintendent of Police, Crime Branch CID to Initiate Prosecution of the offences	222		

NOTIFICATIONS BY GOVERNMENT

ENVIRONMENT AND FORESTS DEPARTMENT	<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>
Notifications under Tamil Nadu Forest Act		
Declaration of Bodi North Hills Forest Block, Bodinayakanur Taluk, Theni District as Reserved Forest under the Act.	140	4.98.0
<i>[G.O. Ms. No. 160, Environment and Forests (FR 14), 26th November 2009.]</i>	141/2	5.00.0
	142	0.72.5
	143/2	1.69.0
No. II(2)/EF/225/2010.—In exercise of the powers conferred by Section 16 of the Tamil Nadu Forest Act, 1882 (Tamil Nadu Act V of 1882), the Governor of Tamil Nadu hereby declares the area, the boundaries of which are specified in the Schedule below, as reserved forest with effect on and from the 29th September 2010.	144	1.37.5
	145	3.69.0
	146	0.25.5
	149	1.43.0
THE SCHEDULE	156	1.96.5
(1) Name of the District : Theni.	157	1.02.5
(2) Name of the Taluk : Bodinayakanur.	158	1.82.0
(3) Number and name of the villages : 2. Bodi North Hills 3. Agamalai	164	0.54.5
	165	10.42.5
(4) Name of the Forest Block : Bodi North Hills	176/2	1.08.0
(5) Area of the Forest Block : Hectares	178/2	0.26.0
Bodi North Hills 6675.62.0	179/2	0.41.0
village	183	0.07.5
Agamalai village 11365.18.5	189/2	0.24.0
Total	18040.80.5	
(6) Survey Field Numbers : and Extent	191/2	2.77.0
	238	1.85.0
I. Bodi North Hills Village	243	0.32.5
<i>Survey Field Number.</i>	246/2	0.06.5
<i>Extent (in hectare)</i>	267/2	0.22.0
64	267/4	0.98.5
79	274/2	0.95.0
86/1	277/3	0.10.5
87	278/2	0.51.0
88	279	0.60.0
89	282	0.33.0
90	288/2	6.25.0
119	293	4.25.0
120	309/3	4.02.0
137	311	0.81.0
138/2	312/3	0.34.5
139	312/4	0.71.0

<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>	<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>
315	0.90.0	434	0.33.5
317	2.13.5	436/2	0.32.0
318	4.72.5	439/2	3.35.0
320	5.66.5	478	0.58.0
322	1.82.5	550/2	0.67.0
324	0.94.5	644/2	0.62.5
335	1.30.5	664/2	0.40.5
337	7.46.5	673/1	0.24.0
342	1.83.0	674/2	0.38.0
347/2	0.46.5	707/2	0.39.5
355	1.16.0	713/2	0.84.0
356	3.23.0	721/2	2.12.0
361	6.99.0	723/2	1.39.5
385	0.62.0	731	3.05.0
386	1.23.0	745/2	2.46.5
388/2	0.15.0	747/2	0.95.0
396	1.96.0	747/3	0.95.0
399/2	1.89.5	748	2.60.5
400/2	10.29.0	749	2.99.5
401	0.43.0	751	0.64.5
404/2	9.32.5	752	1.69.5
406/2	1.14.0	762/1	0.11.5
418/1	0.78.5	764/1	0.34.0
419/2	0.56.0	765/1	1.11.5
420/2	0.97.5	775/3	0.37.5
421/2	0.56.5	779/1	0.22.5
422/4	4.30.5	779/3	0.94.5
424/2	1.02.0	780/1	0.59.5
425/2	1.33.5	780/2	0.32.0
425/3	0.56.5	784/2	0.51.5
427	0.29.0	811	0.86.0
428	0.26.5	816	0.92.5
429	0.39.0	828/3	0.99.5
430/2	0.20.5	833/3	0.44.5
431/2	0.67.0	838/2	0.88.5
432/2	0.13.5	862/2	0.50.0
433/2	0.13.0	873	0.90.0

<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>	<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>
906/2	0.30.0	36/2	0.77.0
919/1	0.23.5	37/2	0.39.5
947	1.40.0	38/2	9.32.0
948	1.85.5	42	5.16.5
949	0.47.0	83	0.50.5
950 (Part)	6468.54.0	86	0.32.5
951/2	0.42.5	101	0.76.0
952/1	0.31.5	126	0.77.0
953/1	0.48.0	127	2.16.5
953/2	1.47.5	152	2.36.5
956/2	0.47.0	160	0.25.0
956/1	1.68.5	161	0.73.0
957	0.90.0	171	0.27.5
958	0.58.0	173	1.04.0
959	0.93.0	175	0.95.5
961/1	1.14.0	178	0.18.0
961/3	0.77.5	179/1	1.92.0
968/2	0.12.0	179/2	0.36.5
971	1.54.0	179/3	0.92.5
972/1	0.41.5	180	0.42.0
972/2	0.40.5	182/1	0.28.5
Total	6675.62.0	189/2	1.91.0
II. Agamalai Village		190/2	2.05.0
2	2.48.5	191/2	1.04.5
6	5.76.5	193	1.11.5
7	0.88.5	194/2	1.02.5
8	1.13.5	196/2	1.28.0
9	0.56.5	197	0.77.5
10/2	0.47.5	201/2	1.28.0
10/3	0.84.0	202	0.27.5
12/2	2.08.0	203/2	2.72.0
13	0.77.5	221	1.60.5
14/1	0.99.0	230/3	5.27.5
26/2	3.79.0	231	0.64.5
27	1.66.5	241/2	0.54.5
28	0.43.5	256	1.28.5
35/2	0.45.5	278/1	0.35.5

<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>	<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>
283	0.84.0	420	0.28.5
289	4.29.5	425/2	0.74.5
290	0.73.0	430	3.20.0
291	1.69.5	431/2	5.54.5
293	0.58.0	438/1	1.18.5
294	1.30.5	439/2	1.53.0
295	2.23.0	440/2	0.37.5
296	0.59.0	440/3	0.73.0
297	1.86.0	441/2	0.41.5
298	0.78.0	441/3	0.10.0
299	0.55.0	441/4	0.63.5
300	0.60.5	444	0.14.5
301	0.29.5	446/2	2.87.0
302	0.52.0	448	4.80.5
303	1.38.0	449	0.69.0
305	1.00.0	451	0.88.0
307	0.54.0	459/2	1.41.0
309	3.36.5	459/3	0.20.0
310	0.99.0	460 (Part)	0.81.0
311	0.77.0	464	2.53.5
312	0.62.5	467	0.26.5
313/2	0.09.0	470/2	3.54.5
315/1	0.07.5	475	0.52.0
317	1.75.5	477/2	0.62.5
319/2	0.14.0	480/1	0.46.0
321/2	2.23.5	480/3	0.38.5
324	2.62.5	480/6	0.34.5
326	1.37.0	482/1	0.04.0
329	2.52.5	489	1.20.5
331/2	0.01.0	500	0.57.5
332	0.09.5	503	2.85.5
334/1	0.01.0	505	3.81.0
337	1.28.5	506	4.41.5
344/3	0.38.0	508/2	1.35.0
347	0.52.0	509/2	6.69.0
415	0.25.0	510/1	20.56.5

<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>	<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>
512/2	8.21.0	672/6	0.11.5
515	3.50.0	672/7	3.40.0
516/1	6.36.5	685	4.21.5
517	8.64.0	700	3.50.0
520/1	0.69.5	701	0.92.5
524 (Part)	1.82.5	702	1.50.5
525/4	3.43.5	704	1.21.0
526/5	0.24.0	705	0.69.0
536/2	0.51.0	706	0.39.5
538	2.31.5	709	1.08.5
541	0.52.5	715	0.03.0
548/2	0.25.0	716	0.05.5
548/3	1.41.0	721	0.37.5
548/4	0.58.5	734	0.41.5
559	0.41.5	745/2	3.33.5
570	2.19.0	758	0.35.0
586	3.31.5	759/2	4.98.0
587	4.47.0	769	2.10.5
588/2	0.16.0	777/2	0.95.0
588/4	0.05.0	829	6.40.0
588/6	0.52.0	844	9.86.5
589/1	0.11.5	847/2	0.62.5
589/3	5.57.5	865	2.54.5
608/1	0.11.5	869	0.52.0
608/2	0.01.5	876	0.32.0
608/4	3.28.5	957/2	0.96.5
615	0.78.0	967/4	3.46.5
616	0.33.0	1007/1	0.71.0
618	4.87.0	1007/4	4.20.5
627	0.75.5	1030	0.29.0
639/2	2.20.0	1035	0.56.0
671/1	1.55.0	1037	1.38.5
671/3	2.68.5	1048	0.21.5
672/1	0.07.5	1067/1	0.00.5
672/3	0.04.5	1067/2	0.02.5
672/5	0.01.5	1082	0.88.5

<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>	<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>
1092	4.85.5	1375/3	4.04.5
1093/1	0.48.5	1376	0.70.0
1093/3	0.29.0	1381	0.50.5
1099	0.39.5	1384 (Part)	10760.05.5
1100	1.82.0	1388/1	1.32.5
1102	2.22.5	1388/2	0.47.5
1103/2	6.96.5	1389	0.92.0
1106/2	6.62.5	1390	0.56.5
1119	0.76.0	1391	0.93.0
1122	1.37.0	1392/2	1.44.5
1126	2.24.0	1401/1	0.60.0
1129	1.02.0	1402	0.29.5
1132	2.69.5	1403	2.75.5
1135	4.27.5	1404	0.33.0
1187	8.74.5	1405	1.63.5
1188	6.42.0	1406/1	0.40.5
1189	9.08.5	1406/2	0.71.0
1190	1.89.5	1407/1(Part)	3.93.0
1223	1.20.0	1407/2	0.57.5
1224	0.94.0	1409	0.84.0
1225	0.15.0	1410	0.39.0
1252	1.14.0	1411	0.43.5
1294	0.94.5	1412	0.90.0
1295	0.74.0	1413	0.71.5
1330/2	5.66.0	1414	0.22.5
1334/3	3.62.5	1415	0.25.0
1335	6.30.5	1416	13.54.0
1342/1	4.90.5	1417/2	1.11.5
1358	1.18.5	1425	3.73.5
1361/2	1.58.0	1428/1	3.05.5
1363/2	0.45.5	1428/2	4.04.5
1367/4	4.04.5	1429	1.20.0
1367/5	2.02.5	1430/1	1.77.0
1369/2	0.62.5	1430/2	1.82.0
1372	3.16.5	1431/1	3.49.0
1373	0.68.0	1431/2	1.21.5

<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>
1432/1	0.24.5
1432/2	1.62.0
1433	1.21.5
1434/1	2.06.5
1434/2	3.91.0
1434/3	3.43.0
1434/4	9.08.0
1435	0.70.5
1436	1.03.0
1437	0.57.0
1438	1.48.5
1439/1	0.74.5
1439/2	2.02.0
1440/1	6.17.0
1440/2	0.70.0
1441/2	0.92.0
1442/1	1.62.0
1442/2	1.70.0
1443	5.07.0
1444/1	6.25.0
1444/2	49.50.0
1445	8.59.5
1446	8.35.0
Total	11365.18.5

BOUNDARIES

North.—Starting from the trijunction of Survey Field Number 950 of Village Number 2. Bodi North hill village and Survey Field Number 284 of Village Number 1. Kottagudi village and Ampt hills downs R.F (Notified under Section 16 of Tamil Nadu Forest Act in Revenue Department Notification No.70, dt. 9-2-1906 and published at pages 178 and 179 of Part I of the *Fort St. George Gazette*, dt. 13-2-1906). The boundary generally runs South-East, North-East, alternate along the southern side of above said reserved forests till it reaches the trijunction of Survey Field Number 950 of Village Number 2. Bodi North hill village Ampt hills downs reserved forests and Amburulli reserved forests (Notified under Section 16 of Tamil Nadu Forest Act in Revenue Department Notification No. 471, dt. 8-8-1914 and published at pages 245 and 246 of Part I of *Fort St. George Gazette*, dt. 1-9-1914). Thence it generally runs North-East, South and South-East along the southern side of Amurulli

reserved forests till it reaches the trijunction of Survey Field Number 1384 of Village Number 3. Agamalai village in Bodinayakanur Taluk and Survey Field Number 2771 of Thenkarai village in Periyakulam Taluk and Amburulli reserved forests. Thence it generally runs East and South alternate and North-East along the southern side of Survey Field Numbers 2771, 2772, 2752 and 2773, southern and eastern sides of Survey Field Number 2774, southern side of Survey Field Numbers 2775 and 2776, southern and western sides of Survey Field Number 2778, western side of Survey Field Numbers 2779 and 2780, western and southern sides of Survey Field Number 2810, southern side of Survey Field Numbers 2831, 2832 and 2833, western side of Survey Field Number 2841, western and southern sides of Survey Field Number 2843 and southern side of Survey Field Numbers 2844 and 2858, western and southern sides of Survey Field Number 2860 and southern side of Survey Field Number 2861 till it reaches the trijunction of Survey Field Numbers 2861, 2862 of Thenkarai village Survey Field Number 1384 of 3. Agamalai village.

East.—Thence the boundary generally runs South and East along the western side of Survey Field Numbers 2865 and 2866, western, southern and eastern sides of Survey Field Number 2867, southern side of Survey Field Numbers 2868 and 2880 till it reaches the South-West corner of Survey Field Number 2881 and thence it generally runs South-East along the southern side of Survey Field Number 2881, Western and Southern sides of Survey Field Number 2838, western side of Survey Field Numbers 2941 and 2942, western and southern sides of Survey Field Number 2943, western side of Survey Field Numbers 2947, 2965, 2966 and 2967, southern side of Survey Field Number 2976, western side of Survey Field Numbers 2977, 2978, 2979, 2980, 3082, 3097, 3102, 3103, 3111, 3112, 3119 and 3120 till it reaches the trijunction of Survey Field Numbers 3120 and 3121 of Thenkarai village and Survey Field Number 1384 of Village Number 3. Agamalai village. Thence it generally runs South-West along the western side of Survey Field Numbers 3121 and 3124, northern side of Survey Field Numbers 3129, 3136, 3137 and 3138, western side of Survey Field Numbers 3139, 3156, 3158, 3161 and 3170, western side of Survey Field Number 3218, northern side of Survey Field Numbers 3232, 3233, 3234 and 3235 till it reaches the trijunction of Thenkarai village, Thamaraikulam village of Periyakulam Taluk and Survey Field Number 1384 of 3. Agamalai village. Thence it generally runs South-West and North-West along the northern side of Survey Field Numbers 3063, 3064, 3067 and 3068, northern and western sides of Survey Field Numbers 3070 and 3077, western side of Survey Field Numbers 3078, 3079, 3043, 3042, 3041, 3040, 3039 and 3038 all of Thamaraikulam village till meets the trijunction of Thamaraikulam village and Vadaveeranayakanpatty village of Periyakulam Taluk and Survey Field Number 1384 of Village Number 3. Agamalai village. Thence it generally runs South-West along the western side of Survey Field Numbers 2059, 2060, 2061, 2069, 2070, 2074, 2075, 2076, 2077, 2078, 2094, 2095, 2096 and 2099, western and southern sides of Survey Field Number 2103, southern side of Survey Field Numbers 2130 and 2102, western side of Survey Field Numbers 2113, 2114, 2116, 2169, 2171, 2172 and 2073 till it reaches the trijunction of Vadaveeranayakanpatty village of Periyakulam Taluk and Oonjampatty village of Theni Taluk.

South.—Thence the boundary generally runs West and South-West along the northern side of Survey Field Numbers 1366, 1124, 1123, 1122, 1120 and 1119, Northern and Western sides of Survey Field Number 1115, northern side of Survey Field Numbers 1114, 1113, 1102 and 1101 till it reaches the North-East corner of Survey Field Number 661. Thence it generally runs west along the northern side of Survey Field Numbers 661, 660, 659, 649, 643, 641, 640, 634, 632, 631, 629, 628, 627, 626 and 625 all of Oonjampatty village and thence west along the northern side of Survey Field Numbers 1157, 1158 and 1159 of Allinagaram village till it meets the trijunction of Allinagaram village in Theni Taluk Survey Field Number 1384 of Village Number 3. Agamalai village and Agamalai reserved forests (Thambirankanal reserved forests) (Notified under Section 16 of Tamil Nadu Forest Act, 1882 (Tamil Nadu Act V of 1882) in Revenue Dept. Notification No. 25, dt. 15-1-1894, published at pages 84 of Part I of *Fort St. George Gazette*, dt.23-1-1984. Subsequently notified in Revenue dept. notification No. 776, dt. 24-5-1944 published at pages 440 of Part I of the *Fort St. George Gazette*, dt. 30-5-1944). Thence it generally runs North, North-West, South and South-East along the eastern, northern and western sides of Agamalai reserved forests till it reaches the trijunction of Agamalai reserved forests, Allinagaram village and Boothipuram village. Thence it generally runs West and South along northern side of Survey Field Numbers 254, 23, 20, 19, 18, 17 and 16, eastern side of Survey Field Numbers 13, 11 and 10, eastern and northern sides of Survey Field Number 9, western side of Survey Field Numbers 7, 6 and 5, northern side of Survey Field Numbers 3 and 1, northern and western sides of Survey Field Numbers 4, 46, 48, 50, 52, 53, 498, 54 again 498, 55 and 499 till reaches the South-West corner of Survey Field Number 498. Thence it generally runs West and South-West along the northern side of Survey Field Numbers 71 and 73, western side of Survey Field Numbers 74, 75, 77, 78, 79 and 80 till it reaches the trijunction of Village Number 4. Boothipuram, Village Number 5. Kodangipatty village and Survey Field Number 1384 of Village Number 3. Agamalai village. Thence it generally runs South-West along the northern side of Survey Field Numbers 136, 135, 124, 120, 119, 118, 172, 10 and 1 all of Village Number 5. Kodangipatty village till it meets the trijunction of Village Number 5. Kodangipatty village, Village Number 6. Meenakshipuram village and Survey Field Number 1384 of Village Number 3. Agamalai village. Thence it generally runs North-West and South-West along the eastern side of Survey Field Number 180, eastern, northern and western sides of Survey Field Number 179, northern side of Survey Field Numbers 178, 166, 165, 159, 158, 127, 126, 125 and 124 till it reaches the South-East corner of Survey Field Number 85. Thence it generally runs North and North-East along the eastern side Survey Field Numbers 85, 84, 83 and 77, southern side of Survey Field Numbers 76, 75 and 74, western, southern and eastern sides of Survey Field Numbers 72, 22 and 21, eastern and northern sides of Survey Field Number 19, eastern side of Survey Field Number 18, eastern and northern sides of Survey Field Number 17, northern side of Survey Field Number 16, till it meets the trijunction of Survey Field Numbers 15 and 16 all of Village Number 6. Meenakshipuram village and Survey Field Number 1384 of Village Number 3. Agamalai village. Thence it generally runs North, West and South along the eastern side of Survey Field Numbers 15, 11, 6, 5 and 4, eastern, northern and western side of Survey Field Number 2 till it reaches the North-East corner of Survey Field Number 1. Thence it

generally runs West along the northern side of Survey Field Number 1 till it reaches the trijunction of Village Number 6. Meenakshipuram village, Survey Field Number 1384 of Village Number 3. Agamalai village and Village Number 7. Melachokanathapuram village. Thence it generally runs North East and West along the eastern side of Survey Field Numbers 476, 475 and 474, eastern and northern sides of Survey Field Number 473, northern side of Survey Field Numbers 470, 469, 466, 465, 462, 458, 457, 456, 442 and 441 (All of Village Number 7. Melachokanathapuram village) till it reaches the trijunction of Village Number 7. Melachokanathapuram village, Village Number 8. Bodinayakanur village and Survey Field Number 1384 of Village Number 3. Agamalai village. Thence it generally runs West along the northern side of Survey Field Numbers 1426 and 1427, eastern, northern and western sides of Survey Field Number 1424, northern side of Survey Field Numbers 1421, 1420, 1419, 1414, 1412, 1406, 1405, 1404, 1403 and 1402 till it reaches the South-East corner of Survey Field Number 1400 thence it generally runs North East and North along the eastern side of Survey Field Numbers 1400, 1399, 1397, 1281 and 1280, southern side of Survey Field Numbers 1279 and 1270, eastern side of Survey Field Numbers 1269, 1268 and 1265, southern, eastern and northern sides of Survey Field Number 1274, eastern side of Survey Field Numbers 1262, 1261, 1259 and 1258 till it meets the North-East corner of Survey Field Number 1258. Thence it generally runs southern, eastern and northern sides of Survey Field Number 1257, eastern side of Survey Field Number 1256, eastern and northern sides of Survey Field Number 1255 and northern side of Survey Field Number 1254, eastern side of Survey Field Number 1252, eastern and northern sides of Survey Field Number 1251, eastern side of Survey Field Numbers 1250, 1213, 1212, 1209 and 1208 till it meets the trijunction of Survey Field Numbers 1208 and 1199 all of Village Number 8. Bodinayakanur village and Survey Field Number 1384 of Village Number 3. Agamalai village. Thence it generally runs North East and North along the southern side Survey Field Number 1199, southern and eastern sides of Survey Field Number 1198, eastern side of Survey Field Numbers 1197, 1196 and 1195 till it meets the South-West corner of Survey Field Number 1192. Thence it generally runs South-East and North-East along the southern side of Survey Field Number 1192, southern and eastern sides of Survey Field Number 1191, eastern side of Survey Field Numbers 1190, 1189 and 1188 till it reaches the North-East corner of Survey Field Number 1188. Thence it generally runs South-East and North-West along the southern and eastern sides of Survey Field Number 1187, eastern side of Survey Field Numbers 1186 and 1187, northern side of Survey Field Numbers 1182, 1181, 1180 and 1173, eastern side of Survey Field Number 1172 till it reaches the trijunction of Survey Field Numbers 1170, 1171 and 1172. Thence it generally runs North-East and South-West along the eastern side of Survey Field Numbers 1170, 1169, 1168, 1161, 1156 and 1157, eastern, northern and western sides of Survey Field Number 1159, northern side of Survey Field Number 1158, till it reaches the trijunction of Survey Field Numbers 1158 and 1157 all of Village Number 8. Bodinayakanur and Survey Field Number 1384 of Village Number 3. Agamalai village. Thence it generally runs North-West and South-West along the eastern, northern and western sides of Survey Field Number 1157, western side of Survey Field Numbers 1156, 1155 till it reaches the North-East corner of Survey Field Number 1154. Thence it generally runs West, South and South West along the northern

and western side of Survey Field Number 1154, western side of Survey Field Number 1153, northern side of Survey Field Number 1149 till it reaches the North-West corner of Survey Field Number 1149. Thence it generally runs North-East, North-West and South-West along the eastern side of Survey Field Number 1140, eastern, northern and western sides of Survey Field Number 1130 till it reaches the South-East corner of Survey Field Number 1129. Thence it generally runs North-West, North-East and South-West along the eastern side of Survey Field Numbers 1129 and 1128, eastern and northern sides of Survey Field Number 1127, northern side of Survey Field Numbers 1123, 1122 and 1111, western side of Survey Field Number 1110 till it reaches the North-West corner of Survey Field Number 1107. Thence it generally runs South-East, South and South-West along the western side of Survey Field Number 1107, western and southern sides of Survey Field Number 1106, western side of Survey Field Numbers 1100, 1096, 1075, 1074 and 1073 till it reaches the trijunction of Survey Field Numbers 1073 and 967 of Bodinayakanur village and Survey Field Number 950 of Village 2. Bodi North Hills village. Thence it generally runs west, along the northern side of Survey Field Number 967 till it reaches the trijunction of Survey Field Numbers 967 and 854 of Bodinayakanur village and Survey Field Number 950 of Village Number 2. Bodi North Hills village. Thence it generally runs North, North-West along the eastern side of Survey Field Number 854, northern side of Survey Field Numbers 855, 966 and 965 till it reaches the trijunction of Survey Field Numbers 965, 964 and 959. Thence it generally runs North, East again North and West along the eastern side of Survey Field Number 959, southern, eastern and northern sides of Survey Field Number 960, northern side Survey Field Numbers 959 and 953, eastern and northern sides of Survey Field Number 962 and eastern side of Survey Field Number 921 till it reaches the North-East corner of Survey Field Number 921. Thence it generally runs North-East and West along the eastern side of Survey Field Numbers 920 and 919, southern side of Survey Field Numbers 915 and 914, southern, eastern and northern sides of Survey Field Number 913, northern side of Survey Field Numbers 914 and 917 till it reaches the trijunction of Survey Field Numbers 917, 912 and 911 all of Village Number 8. Bodinayakanur village. Thence it generally runs North-East, North-West and South-West along the eastern and northern sides of Survey Field Number 911, northern side of Survey Field Numbers 909, 908 and 907, western side of Survey Field Numbers 906 and 901 till it reaches the North-East corner of Survey Field Number 900. Thence it generally runs North-West, South-West and South-East along northern side of Survey Field Numbers 900, 896 and 895, eastern and northern sides of Survey Field Number 893, northern side of Survey Field Number 891, western side of Survey Field Numbers 890, 889 and 878 till it reaches the North-West corner of Survey Field Number 787. Thence it generally runs South, North-West and South-West along the northern side of Survey Field Numbers 60, 59, 52, 51, 50, 3, 4 and 5 till it reaches the trijunction of Survey Field Numbers 5, 6 and 1. Thence it generally runs North-West along the eastern side of Survey Field Number 1 till it meets the trijunction of Village Number 8. Bodinayakanur village, Village Number 1. Kottagudi village and Village Number 2. Bodi North Hills village.

West.—Thence it generally runs North along the common village boundary along the Village Number 1. Kottagudi village and Village Number 2. Bodi North Hills village till it meets the starting point.

Note : The following areas covered under court cases are temporarily excluded.

Bodi North Hills village

<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>
331	0.62.0
950 (Part)	1.21.0
966	2.22.5
969	1.60.5
Total	5.66.0

Agamalai Village

<i>Survey Field Number.</i>	<i>Extent (in hectare)</i>
195/2	2.52.0
226/2	6.21.0
227/2	0.95.0
228/2	4.64.5
238	1.23.0
460 (Part)	8.64.0
479/1	1.42.0
479/3	0.01.0
479/4	0.19.0
507/3	16.41.0
871	4.06.5
914	0.58.0
524 (Part)	0.93.0
1094/1	0.52.5
1094/4	13.71.5
1357/3	5.33.5
1379/1	0.41.5
1384 (Part)	1.21.0
1407/1 (Part)	3.93.0
1401/1 (Part)	3.92.5
1426	0.73.0
1427	0.48.5
Total	78.07.0

Abstract		<i>Station</i>		<i>Magnetic bearing.</i>	<i>Distance (in Metres)</i>
		<i>From</i>	<i>To</i>		
Bodi North Hills Village	5.66.0	(1)	(2)	(3)	(4)
Agamalai Village	78.07.0	20.	21.	28	21.2
Grand Total	83.73.0	21.	22.	300	18.4
Field Book of Pathway No. 1					
Name of the Pathway	: Maruthaiyanur to Periyakulam (Via) Alangaram and Sothuparai	22.	23.	288	23.0
Entrance	: From Survey Field Number 172 of Maruthaiyanur Portion at Agamalai	23.	24.	331.5	20.0
Ends	: Ends with S.F.No. 2772 of Thenkarai Village near Sothuparai Dam (Southern side)	24.	25.	354	20.0
Length of the pathway	: 12.3 kms.	25.	26.	350	64.0
Width	: 2 metres	26.	27.	345	30.8
		27.	28.	19	21.0
		28.	29.	46	26.0
		29.	30.	85	16.0
		30.	31.	67	35.0
		31.	32.	148.5	22.8
		32.	33.	121	20.0
		33.	34.	11	26.4
		34.	35.	36	19.4
		35.	36.	343	128.0
		36.	37.	343.5	16.6
		37.	38.	304	52.0
		38.	39.	316	45.0
		39.	40.	328	16.2
		40.	41.	333	68.0
		41.	42.	296	44.0
		42.	43.	1.5	28.4
		43.	44.	22	35.0
		44.	45.	337	37.8
		45.	46.	2.5	28.0
		46.	47.	355	33.2
		47.	48.	13.5	12.0
		48.	49.	41	23.0
		49.	50.	311	24.6
		50.	51.	314	34.8
		51.	52.	302.5	27.0
		52.	53.	320	20.0
		53.	54.	17	34.2
		54.	55.	60	25.2

Station		Magnetic bearing.	Distance (in Metres)	Station		Magnetic bearing.	Distance (in Metres)
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
55.	56.	26	24.6	89.	90.	258	40.0
56.	57.	40	23.6	90.	91.	273	50.8
57.	58.	53	26.0	91.	92.	284	60.0
58.	59.	306	28.6	92.	93.	267	58.8
59.	60.	59.5	58.0	93.	94.	256	51.0
60.	61.	69.5	25.0	94.	95.	287	14.4
61.	62.	63	30.0	95.	96.	279	58.0
62.	63.	350	80.0	96.	97.	283	32.0
63.	64.	311	25.6	97.	98.	202	26.0
64.	65.	307	34.4	98.	99.	308	35.0
65.	66.	297	34.0	99.	100.	246	30.0
66.	67.	320	30.0	100.	101.	275	30.0
67.	68.	338	64.6	101.	102.	285	45.0
68.	69.	344	29.0	102.	103.	259	20.0
69.	70.	328	33.6	103.	104.	145	26.0
70.	71.	60	22.0	104.	105.	295	19.0
71.	72.	354	161.0	105.	106.	144	18.4
72.	73.	39	29.4	106.	107.	280.5	22.0
73.	74.	21	33.6	107.	108.	268	54.0
74.	75.	65	21.0	108.	109.	280	18.0
75.	76.	0	36.8	109.	110.	264.5	24.0
76.	77.	351	15.0	110.	111.	285	15.0
77.	78.	325	19.0	111.	112.	270	55.0
78.	79.	336	31.2	112.	113.	253.5	60.0
79.	80.	320	24.4	113.	114.	245	67.0
80.	81.	320	20.0	114.	115.	269	10.0
Alangaram:				115.	116.	276.5	50.0
81.	82.	245	20.0	116.	117.	240	30.0
82.	83.	212	47.0	117.	118.	231	29.0
83.	84.	180	10.0	118.	119.	241	16.0
84.	85.	217	77.0	119.	120.	290.5	14.0
85.	86.	208	22.4	120.	121.	217.5	11.0
86.	87.	234	86.6	121.	122.	278	53.0
87.	88.	91	45.0	122.	123.	294	31.0
88.	89.	226	35.0	123.	124.	266.5	30.0

Station		Magnetic bearing.	Distance (in Metres)	Station		Magnetic bearing.	Distance (in Metres)
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
124.	125.	271.5	33.0	158.	159.	321	80.0
125.	126.	265	50.0	159.	160.	258.5	55.0
126.	127.	138	26.0	160.	161.	281.5	72.0
127.	128.	268	24.0	161.	162.	23.5	20.0
128.	129.	277.5	47.0	162.	163.	292	35.0
129.	130.	295	22.0	163.	164.	311	24.0
130.	131.	286	50.0	164.	165.	329	56.0
131.	132.	282	43.0	165.	166.	3	51.0
132.	133.	306.5	15.0	166.	167.	337	25.0
133.	134.	0	25.0	167.	168.	336	42.6
134.	135.	347	20.0	168.	169.	7	50.0
135.	136.	308	15.0	169.	170.	12	40.0
136.	137.	210	20.0	170.	171.	15	76.0
137.	138.	154	39.0	171.	172.	259	68.0
138.	139.	252.5	115.0	Kannakarai			
139.	140.	259	31.0	172.	173.	245	49.0
Chockanalai				173.	174.	246	64.0
140.	141.	273.5	20.0	174.	175.	241.5	94.0
141.	142.	306.5	41.0	175.	176.	245	70.0
142.	143.	190	12.0	176.	177.	249.5	94.0
143.	144.	310	14.0	177.	178.	233	103.4
144.	145.	329	64.0	178.	179.	228	105.0
145.	146.	251	100.0	179.	180.	241	84.0
146.	147.	275	46.0	180.	181.	253	38.4
147.	148.	287	56.0	181.	182.	254	126.2
148.	149.	246	60.0	182.	183.	260.5	53.0
149.	150.	270	58.0	183.	184.	300	78.4
150.	151.	269.5	75.0	184.	185.	318	89.0
151.	152.	283	70.0	185.	186.	353	33.6
152.	153.	292	50.0	186.	187.	343.5	60.0
153.	154.	359	28.0	187.	188.	223	65.0
154.	155.	314	82.0	188.	189.	261.5	67.6
155.	156.	327	80.0	189.	190.	238.5	80.0
156.	157.	312	65.0	190.	191.	280	40.0
157.	158.	301	35.0	191.	192.	233.5	75.0

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).																																														
From	To			From	To																																																
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)																																														
192.	193.	250.5	120.0	225.	226.	239	60.0																																														
193.	194.	270.5	70.0	226.	227.	249	85.0																																														
194.	195.	303.5	35.0	227.	228.	265	100.0																																														
195.	196.	276	178.2	228.	229.	299	39.0																																														
196.	197.	251	67.0	229.	230.	280	101.6																																														
Agamalai Pathway junction				230.	231.	311	120.0																																														
197.	198.	298	25.0	231.	232.	293	63.0																																														
198.	199.	246	65.0	232.	233.	300	28.0																																														
Thalasai river:				233.	234.	293	170.0																																														
199.	200.	220	25.0	234.	235.	110.0																																															
200.	201.	216.5	135.6	235.	236.	202	140.0																																														
201.	202.	228.5	77.2	Field Book of Pathway No. 2																																																	
202.	203.	239	101.6	Name of the Pathway	:	Maruthaiyanur to Agamalai (Via) Alangaram (14 Kilometres)																																															
203.	204.	248.5	75.0	Entrance	:	From Survey Field Number 80 of Maruthaiyanur to Periyakulam (via) Alangaram and Sothuparai, pathway No.1																																															
204.	205.	288.5	25.4	Ends	:	Ends with Annanagar of pathway No.7 Bodi to Agamalai (via) Ulakkurutti																																															
205.	206.	242.5	153.0	Length of the pathway	:	1.11 kms.																																															
206.	207.	285	48.0	Width	:	One metre																																															
207.	208.	263	100.0	<table border="1"> <thead> <tr> <th colspan="2">Station</th> <th rowspan="2">Magnetic bearing.</th> <th rowspan="2">Distance (in Metres).</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>(1)</td> <td>(2)</td> <td>(3)</td> <td>(4)</td> </tr> <tr> <td>1.</td> <td>2.</td> <td>160</td> <td>13.8</td> </tr> <tr> <td>2.</td> <td>3.</td> <td>204</td> <td>31.0</td> </tr> <tr> <td>3.</td> <td>4.</td> <td>162</td> <td>31.2</td> </tr> <tr> <td>4.</td> <td>5.</td> <td>121</td> <td>24.2</td> </tr> <tr> <td>5.</td> <td>6.</td> <td>93.5</td> <td>40.0</td> </tr> <tr> <td>6.</td> <td>7.</td> <td>165</td> <td>44.0</td> </tr> <tr> <td>7.</td> <td>8.</td> <td>178.5</td> <td>56.0</td> </tr> <tr> <td>8.</td> <td>9.</td> <td>170</td> <td>37.0</td> </tr> <tr> <td>9.</td> <td>10.</td> <td>163</td> <td>18.0</td> </tr> </tbody> </table>				Station		Magnetic bearing.	Distance (in Metres).	From	To	(1)	(2)	(3)	(4)	1.	2.	160	13.8	2.	3.	204	31.0	3.	4.	162	31.2	4.	5.	121	24.2	5.	6.	93.5	40.0	6.	7.	165	44.0	7.	8.	178.5	56.0	8.	9.	170	37.0	9.	10.	163	18.0
Station		Magnetic bearing.	Distance (in Metres).																																																		
From	To																																																				
(1)	(2)	(3)	(4)																																																		
1.	2.	160	13.8																																																		
2.	3.	204	31.0																																																		
3.	4.	162	31.2																																																		
4.	5.	121	24.2																																																		
5.	6.	93.5	40.0																																																		
6.	7.	165	44.0																																																		
7.	8.	178.5	56.0																																																		
8.	9.	170	37.0																																																		
9.	10.	163	18.0																																																		
208.	209.	258	150.2																																																		
209.	210.	254.5	23.0																																																		
210.	211.	284	40.0																																																		
211.	212.	335	43.4																																																		
212.	213.	328	132.4																																																		
213.	214.	281	77.2																																																		
214.	215.	17.5	53.6																																																		
215.	216.	269	42.0																																																		
216.	217.	301.5	75.0																																																		
217.	218.	305	86.0																																																		
218.	219.	329	72.0																																																		
219.	220.	255	39.0																																																		
220.	221.	278	115.0																																																		
221.	222.	336	60.0																																																		
222.	223.	204	18.0																																																		
223.	224.	189.5	72.6																																																		
224.	225.	259	15.0																																																		

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
10.	11.	163	23.4	1.	2.	45	38.0
11.	12.	163	18.0	2.	3.	92	20.0
12.	13.	140	38.0	3.	4.	72	28.0
13.	14.	202.5	32.6	4.	5.	5	30.4
14.	15.	120	31.2	5.	6.	337.5	31.2
15.	16.	97	34.0	6.	7.	288	46.0
16.	17.	130	51.4	7.	8.	203	69.6
17.	18.	142	19.4	8.	9.	338	17.0
18.	19.	151.5	19.2	9.	10.	295	15.6
19.	20.	146	17.2	10.	11.	9	35.0
20.	21.	81	22.0	11.	12.	5	20.0
21.	22.	161	24.0	12.	13.	255	14.0
22.	23.	29	14.0	13.	14.	247	35.0
23.	24.	91.5	6.6	14.	15.	29	25.0
24.	25.	104.5	35.0	15.	16.	20	40.6
25.	26.	146	11.0	16.	17.	5	45.6
26.	27.	87.5	47.0	17.	18.	4	11.6
27.	28.	82.5	40.0	18.	19.	30	23.0
28.	29.	74	48.0	19.	20.	20	34.0
29.	30.	130	22.0	20.	21.	8.5	33.4
30.	31.	144	26.0	21.	22.	17.5	31.2
31.	32.	184	33.0	22.	23.	77	25.0
32.	33.	140.5	35.6	23.	24.	43	18.0
33.	34.	114	36.0	24.	25.	31	30.0
34.	35.	165	26.0	25.	26.	17	19.0
35.	36.	182	88.0	26.	27.	32	64.0
				27.	28.	61	38.4
				28.	29.	35	38.0
				29.	30.	29	28.0
				30.	31.	40	36.0
				31.	32.	31	34.0
				32.	33.	57	32.0
				33.	34.	37	27.0
				34.	35.	67	38.0
				35.	36.	41	27.2

Field Book of Pathway No. 3

Name of the Pathway	:	Agamalai to Periyakulam (Via) Kannakarai
Entrance	:	From Agamalai village Survey Field Number 345
Ends	:	Ends with Kannakarai station No.172 of Maruthaiyanur to Periyakulam pathway No.1
Length of the pathway	:	4.70 kms.
Width	:	4 metres (Road)

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
36.	37.	61	830.0	71.	72.	67	51.4
37.	38.	40	40.0	72.	73.	57	138.8
38.	39.	47.5	82.0	73.	74.	49	54.6
39.	40.	2	47.2	74.	75.	248	49.0
40.	41.	284	34.0	75.	76.	244	50.0
41.	42.	72	44.4	76.	77.	266	94.0
42.	43.	321	61.8	77.	78.	247	31.2
43.	44.	78.5	49.6	78.	79.	275	15.8
44.	45.	39	74.0	79.	80.	248	53.0
45.	46.	345	43.2	80.	81.	269	35.0
46.	47.	39	35.0	81.	82.	265	28.4
47.	48.	150	79.0	82.	83.	215	36.0
48.	49.	22	119.0	83.	84.	254	28.6
49.	50.	17	47.0	84.	85.	265	71.0
50.	51.	158	30.0	85.	86.	255	55.0
51.	52.	28	54.6	86.	87.	238.5	34.0
52.	53.	5	85.0	87.	88.	14	36.8
53.	54.	344	92.0	Field Book of Pathway No. 4			
54.	55.	272	57.0	Name of the Pathway	:	Agamalai to Periyakulam (Via Kundancheri, Uradi, Subramaniyapuram, Uthukkadu and Sothuparai)	
55.	56.	247	89.0	Entrance	:	From Agamalai village Survey Field Number 345	
56.	57.	238	21.6	Ends	:	Ends with Survey Field Number 2772 of Thenkarai village near Sothuparai dam	
57.	58.	37	41.0	Length of the pathway	:	11.0 kms.	
58.	59.	55	93.8	Width	:	2 metres	
59.	60.	68	34.0	Station			
60.	61.	265	50.6	From To		Magnetic bearing.	Distance (in Metres).
61.	62.	255	39.0	(1)	(2)		
62.	63.	267	43.2	1.	2.	156	44.0
63.	64.	222	26.0	2.	3.	115	28.0
64.	65.	267.5	45.8	3.	4.	156	31.2
65.	66.	54	52.0	4.	5.	127	27.0
66.	67.	34	28.0				
67.	68.	76	61.0				
68.	69.	38	20.0				
69.	70.	74	105.0				
70.	71.	43	37.6				

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).		
From	To			From	To				
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)		
5.	6.	163	34.4	40.	41.	90	80.0		
6.	7.	147	48.6	41.	42.	64	43.0		
7.	8.	115	23.0	42.	43.	118	43.0		
8.	9.	161.5	94.4	43.	44.	90	41.0		
9.	10.	130.5	68.4	44.	45.	71	42.0		
10.	11.	127	57.2	45.	46.	148	30.0		
11.	12.	165	63.2	46.	47.	72	20.0		
12.	13.	91	28.2	47.	48.	162	24.0		
13.	14.	112	66.0	48.	49.	50	28.0		
14.	15.	103.5	64.4	49.	50.	172	40.0		
15.	16.	67	46.0	50.	51.	62	60.0		
16.	17.	106	43.0	51.	52.	170	50.0		
17.	18.	110	44.6	52.	53.	135	40.0		
18.	19.	109	44.2	53.	54.	162	44.0		
19.	20.	122	48.0	54.	55.	133	62.0		
20.	21.	42.5	27.6	55.	56.	180	52.0		
21.	22.	90	40.0	56.	57.	40	20.0		
22.	23.	69	44.4	57.	58.	175	30.0		
23.	24.	39	36.0	58.	59.	25	60.0		
24.	25.	41	31.6	59.	60.	172	104.0		
25.	26.	53	36.6	60.	61.	142	22.6		
26.	27.	78	30.0	61.	62.	86	52.0		
27.	28.	63	31.2	62.	63.	79	60.0		
28.	29.	79.5	35.0	63.	64.	93	54.0		
29.	30.	95	34.4	64.	65.	83	56.0		
30.	31.	103	56.0	65.	66.	92	90.0		
31.	32.	104.5	55.6	66.	67.	113.5	48.6		
32.	33.	100	50.0	67.	68.	103	49.4		
33.	34.	305	77.0	68.	69.	119	28.6		
34.	35.	95	38.0	69.	70.	147	54.6		
35.	36.	204	22.0	70.	71.	154	48.6		
36.	37.	115	29.2	Thambirankanal Junction					
37.	38.	230	28.0	71.	72.	134	46.0		
38.	39.	78	49.2	72.	73.	89	53.8		
39.	40.	99	40.0	73.	74.	77	20.0		

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
74.	75.	45	100.0	108.	109.	54	160.0
75.	76.	133	45.4	109.	110.	91	68.6
76.	77.	126	20.0	110.	111.	80	58.8
77.	78.	118	41.8	111.	112.	88	74.0
78.	79.	104	46.2	112.	113.	54	31.0
79.	80.	74.5	47.4	113.	114.	61	20.0
80.	81.	82	65.8	114.	115.	58	35.0
81.	82.	88	51.2	115.	116.	129	55.6
82.	83.	45	54.0	116.	117.	103	40.0
83.	84.	48	51.8	117.	118.	78.5	23.0
84.	85.	141	53.8	118.	119.	162.5	28.0
Uthukkadu junction:				119.	120.	101	56.0
85.	86.	195	30.0	120.	121.	89	57.0
86.	87.	141	59.0	121.	122.	77	55.0
87.	88.	140	63.2	122.	123.	59	47.8
88.	89.	297	44.0	123.	124.	21	158.8
89.	90.	122	63.0	124.	125.	11	35.6
90.	91.	84	81.0	125.	126.	35	58.0
91.	92.	106	68.6	126.	127.	68	99.0
92.	93.	80	67.0	127.	128.	28	60.0
93.	94.	116.5	76.0	128.	129.	32.5	62.8
94.	95.	109	42.8	129.	130.	7.5	28.2
95.	96.	115	63.6	130.	131.	20.5	120.0
96.	97.	132	71.4	Annanji Pathway junction:			
97.	98.	160.5	43.6	131.	132.	14.5	22.0
98.	99.	162.5	28.0	132.	133.	311	49.2
99.	100.	159.5	25.0	133.	134.	358	70.2
100.	101.	147.5	40.0	134.	135.	35	45.0
101.	102.	148	40.0	135.	136.	88	95.0
102.	103.	206	32.0	136.	137.	80	46.2
103.	104.	109	37.0	137.	138.	107	15.0
104.	105.	340	13.2	138.	139.	103	23.0
105.	106.	32.5	43.0	139.	140.	42	25.2
106.	107.	35	26.6	140.	141.	337	57.8
107.	108.	13	48.0	141.	142.	67	64.2

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
142.	143.	163	34.2	176.	177.	94	46.2
143.	144.	40	46.2	177.	178.	40.5	26.0
144.	145.	167	40.0	178.	179.	37	50.0
145.	146.	39	50.8	Kuravankuli pathway junction:			
146.	147.	44	33.2	179.	180.	307	40.6
147.	148.	2	38.8	180.	181.	310	41.0
148.	149.	339.5	35.0	181.	182.	327.5	44.4
149.	150.	49	66.0	182.	183.	53	55.6
150.	151.	44	50.8	183.	184.	44	54.0
151.	152.	38	73.8	184.	185.	19	8.0
Chinnamoongil pathway junction:				185.	186.	28	53.0
152.	153.	333.5	54.6	186.	187.	62	23.0
153.	154.	340	71.6	187.	188.	111	48.0
154.	155.	86.5	92.8	188.	189.	63	27.0
155.	156.	355	90.0	189.	190.	31	57.8
156.	157.	257	33.0	190.	191.	13.5	57.4
157.	158.	29	27.2	191.	192.	335	64
158.	159.	281.5	24.0	192.	193.	350	60.0
159.	160.	61	36.0	193.	194.	0	55.0
160.	161.	270.5	42.0	194.	195.	184.5	39.0
161.	162.	54	51.8	195.	196.	86	51.0
162.	163.	287	59.4	196.	197.	344	53.2
163.	164.	262	29.2	197.	198.	352	40.0
164.	165.	34	30.0	198.	199.	339	107.2
165.	166.	54	49.0	199.	200.	14	21.5
166.	167.	294	52.2	200.	201.	60	42.0
167.	168.	58.5	46.6	201.	202.	37	60.0
168.	169.	299	56.6	202.	203.	346	46.0
169.	170.	307	55.8	203.	204.	340	90.6
170.	171.	73	69.2	204.	205.	23	40.0
171.	172.	310	62.0	205.	206.	39.5	100.0
172.	173.	295	83.0	206.	207.	72	44.0
173.	174.	54	35.2	207.	208.	272.5	44.0
174.	175.	63.5	54.6	208.	209.	271	50.8
175.	176.	85	62.0	209.	210.	60	50.0

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
210.	211.	45.5	6.0	14.	15.	68	30.0
211.	212.	83	129.0	15.	16.	82	28.6
212.	213.	72.5	96.0	16.	17.	73	20.0
213.	214.	1	140.0	17.	18.	86	73.2
214.	215.	310	40.0	18.	19.	80	43.0
215.	216.	23	91.6	19.	20.	75	61.2
216.	217.	352	92.0	20.	21.	86	47.4
217.	218.	356	150.6	21.	22.	79	65.0

Field Book of Pathway No. 5

Name of the Pathway	:	Agamalai to Annanji (Via) Uradi, Thambirankanal and Kadappathurai
Entrance	:	From Station No.85 of pathway No.4 (Uradi hamlet)
Ends	:	Ends with RF boundary in Survey Field Number 3077 of Thamaraikulam Village
Length of the pathway	:	7.0 kms.
Width	:	1.50 metres

22.	23.	57	24.2
23.	24.	69	33.8
24.	25.	68	48.0
25.	26.	77	28.6
26.	27.	89	30.0
27.	28.	72	20.0
28.	29.	75	180.0
29.	30.	85	38.6
30.	31.	80	42.4
31.	32.	74	26.8
32.	33.	61	39.8
33.	34.	91	20.0
34.	35.	115	12.0
35.	36.	157	14.0
36.	37.	113.5	20.0
37.	38.	131	49.2
38.	39.	194.5	22.0
Subramaniyapuram junction:			
39.	40.	141	54.0
40.	41.	141	95.0
41.	42.	103	92.8
42.	43.	141	75.0
43.	44.	139	32.0
44.	45.	112	55.2
45.	46.	165	48.8
46.	47.	154	134.8
47.	48.	71	29.8

Station		Magnetic bearing.	Distance (in Metres).
From	To		
(1)	(2)	(3)	(4)
1.	2.	74	55.0
2.	3.	63	70.0
3.	4.	98	92.0
4.	5.	90.5	107.4
5.	6.	95	50.4
6.	7.	90	71.2
7.	8.	81	61.0
8.	9.	84	77.0
9.	10.	76.5	46.2
10.	11.	96.5	19.6
11.	12.	75	45.2
12.	13.	88.5	70.8
13.	14.	77	43.4

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
48.	49.	53	70.8	83.	84.	227	41.8
49.	50.	85	77.2	84.	85.	81.5	47.8
50.	51.	77	60.0	85.	86.	228	41.4
51.	52.	65	60.2	86.	87.	79	49.2
52.	53.	110	97.0	87.	88.	231	46.4
53.	54.	112	42.2	88.	89.	87	71.6
54.	55.	151.5	42.4	89.	90.	285	61.2
55.	56.	153.5	70.0	90.	91.	85	62.2
56.	57.	196	52.0	91.	92.	223	20.0
57.	58.	208	38.8	92.	93.	230	72.0
58.	59.	178.5	61.6	93.	94.	68	35.0
59.	60.	159.5	73.0	94.	95.	218	36.0
60.	61.	86	25.0	95.	96.	235	32.2
61.	62.	202	14.2	96.	97.	91	45.0
62.	63.	59	15.6	97.	98.	234	22.8
63.	64.	204	56.4	98.	99.	237	28.0
64.	65.	61.5	52.0	99.	100.	91	30.6
65.	66.	186	43.0	100.	101.	227	30.6
66.	67.	153	42.8	101.	102.	257.5	28.6
67.	68.	75	40.0	102.	103.	122	40.0
68.	69.	129	12.8	103.	104.	69	21.2
69.	70.	207	66.0	104.	105.	88	111.0
70.	71.	76.5	50.0	105.	106.	130	51.8
71.	72.	148	20.0	106.	107.	187	37.4
72.	73.	272	12.0	107.	108.	83.5	37.0
73.	74.	138.5	12.6	108.	109.	176	54.0
74.	75.	126	8.0	109.	110.	233.5	40.0
75.	76.	241.5	11.0	110.	111.	222	36.0
76.	77.	135	220.0	111.	112.	88	76.0
77.	78.	128	38.0	112.	113.	298.5	68.2
78.	79.	194	90.0	113.	114.	198.5	81.8
79.	80.	57	33.0	114.	115.	141	46.2
80.	81.	193	40.0	115.	116.	150	42.0
81.	82.	62.5	31.6	116.	117.	189	58.8
82.	83.	192.5	93.8	117.	118.	188	118.0

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing	Distance (in Metres)
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
118.	119.	147	95.4	11.	12.	5	46.0
119.	120.	167.5	87.6	12.	13.	358	110.4
120.	121.	186	113.2	13.	14.	46	62.6
121.	122.	167.5	25.6	14.	15.	34	47.6
122.	123.	106	112.6	15.	16.	38	32.0
123.	124.	112	110.8	16.	17.	25	42.4
124.	125.	131	132.6	17.	18.	64	24.2
125.	126.	110	37.6	18.	19.	9	72.4
126.	127.	109	85.0	19.	20.	343	119.0
127.	128.	141.5	180.8	20.	21.	330	136.2
128.	129.	143	20.0	21.	22.	7	63.0
129.	130.	169	106.8	22.	23.	344	30.

Field Book of Pathway No. 6

Name of the Pathway	:	Uthukadu to Boothipuram (Via) Uradi, Thambirankanal thosu and Erumaitholu
Entrance & Exit	:	From Station No.72 of Agamalai to Periyakulam patahi (via) Uradi and Survey Field Number 543 of Boothipuram Village
Length of the pathway	:	14.0 kms.
Width	:	1 metres

23.	24.	365	67.8
24.	25.	3	69.0
25.	26.	24	67.6
26.	27.	38	77.2
27.	28.	20	85.4
28.	29.	336	50.2
29.	30.	14	27.4
30.	31.	352	45.8
31.	32.	7	42.8
32.	33.	359	18.4
33.	34.	343	27.2
34.	35.	340	42.0
35.	36.	0	59.0
Erumaitholu			
36.	37.	307	50.0
37.	38.	9	69.0
38.	39.	343	98.0
39.	40.	313	89.0
40.	41.	385	85.0
41.	42.	299	100.0
42.	43.	334	110.0
43.	44.	335	104.0
44.	45.	318	111.0

Station		Magnetic bearing.	Distance (in Metres).
From	To		
(1)	(2)	(3)	(4)
1.	2.	346	270.0
2.	3.	312	440.0
3.	4.	344	403.0
4.	5.	330	554.8
5.	6.	267	130.0
6.	7.	309	136.0
7.	8.	358	196.8
8.	9.	49	111.0
9.	10.	16	80.0
10.	11.	39	59.2

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing	Distance (in Metres)
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
45.	46.	316	108.0	79.	80.	337	109.6
46.	47.	315	89.6	80.	81.	0	92.0
47.	48.	270	70.0	81.	82.	0	94.0
48.	49.	5	90.0	82.	83.	345	116.0
49.	50.	9	92.0	83.	84.	28	115.0
50.	51.	41	74.0	84.	85.	41	264.0
51.	52.	33	118.0	85.	86.	65	215.0
52.	53.	11	100.0	86.	87.	101	100.0
53.	54.	7	96.0	87.	88.	101	104.0
54.	55.	31	125.0	88.	89.	98	98.0
55.	56.	15	100.0	89.	90.	92	97.0
56.	57.	29	115.0	90.	91.	101	204.6
57.	58.	353	105.0	91.	92.	107	324.6
58.	59.	23	110.0	92.	93.	101	209.0
59.	60.	3	94.0	93.	94.	116	335.0
60.	61.	29	114.4	94.	95.	123	350.0
61.	62.	29	117.0	95.	96.	112	218.0
62.	63.	17	98.0	96.	97.	65	98.0
63.	64.	22	108.0	97.	98.	60	97.0
64.	65.	31	296.0	98.	99.	22	56.0
65.	66.	30	76.0	99.	100.	338	94.0
66.	67.	11.5	158.0	100.	101.	315	96.0
67.	68.	19	209.0	101.	102.	321	135.0
68.	69.	35	178.0	102.	103.	321	129.6
69.	70.	59	140.0	103.	104.	336	98.0
70.	71.	85	125.0	104.	105.	334	280.0
71.	72.	120	110.0	105.	106.	347	28.4
72.	73.	81	148.0	106.	107.	20	39.2
Valaimara Thozhu				107.	108.	56	26.0
73.	74.	86	152.0	108.	109.	0.5	43.6
74.	75.	90.0	190.0	109.	110.	50	30.0
75.	76.	67	165.0	110.	111.	59	44.0
76.	77.	359	155.0	111.	112.	60	32.0
77.	78.	345	110.0	112.	113.	51.5	23.8
78.	79.	346	104.0	113.	114.	35	18.0

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
114.	115.	36.5	30.0	10.	11.	70	99.0
115.	116.	29	25.8	11.	12.	53	191.0
116.	117.	12	51.4	12.	13.	45	126.4
117.	118.	357	50.0	13.	14.	53	114.4
118.	119.	70	27.0	14.	15.	38	38.4
119.	120.	88.5	35.0	15.	16.	56	64.2
120.	121.	91	40.0	16.	17.	85	87.4
121.	122.	89	53.8	17.	18.	39	111.4
122.	123.	86	40.0	18.	19.	10	139.0
123.	124.	90	30.0	19.	20.	56	145.0
124.	125.	82	44.4	20.	21.	67.5	116.0
125.	126.	97	29.0	21.	22.	64.5	82.6
126.	127.	89	14.8	22.	23.	72	73.0

Field Book of Pathway No. 7

Name of the Pathway	:	Agamalai to Bodi (Via) Ulakkurutti
Entrance	:	From S. No.1180 of Bodi Village in Boundary
Ends	:	Ends with Survey Field Number 345 of Agamalai
Length of the pathway	:	9.1 kms.
Width	:	1.50 metres

23.	24.	34	139.0
24.	25.	50	95.0
25.	26.	50	87.6
26.	27.	63	97.0
27.	28.	52	84.6
28.	29.	56	90.0
29.	30.	85	82.0
30.	31.	77	100.0
31.	32.	72.5	84.0
32.	33.	103	67.0
33.	34.	112	72.6
34.	35.	12	60.0
35.	36.	0	40.0
36.	37.	339	39.4
37.	38.	4.5	79.0
38.	39.	144	68.8
39.	40.	133.5	25.4
40.	41.	8	71.4
41.	42.	112.5	76.0
42.	43.	96	38.0
43.	44.	89	134.0
44.	45.	77	86.0

Station		Magnetic bearing	Distance (in Metres)
From	To		
(1)	(2)	(3)	(4)
1.	2.	38	311.0
2.	3.	71	149.0
3.	4.	112	44.0
4.	5.	70	158.6
5.	6.	51	135.2
6.	7.	41.5	44.0
7.	8.	96	23.4
8.	9.	40.5	134.0
9.	10.	40	55.0

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
45.	46.	58	58.6	80.	81.	70	60.0
46.	47.	76	40.0	81.	82.	85	51.0
47.	48.	74	60.0	82.	83.	10	157.4
48.	49.	63	45.0	83.	84.	23	20.0
49.	50.	55	53.0	84.	85.	35	35.0
50.	51.	47	30.0	85.	86.	54	108.0
51.	52.	51	83.0	86.	87.	65	220.0
52.	53.	81	29.6	87.	88.	58	54.0
53.	54.	71	92.0	88.	89.	39	80.0
54.	55.	55	20.0	89.	90.	20	10.0
55.	56.	65	27.8	90.	91.	52	82.0
56.	57.	59	47.0	91.	92.	54	15.0
57.	58.	320	84.0	92.	93.	72	38.0
58.	59.	318	25.0	93.	94.	337	27.0
59.	60.	300	92.0	94.	95.	70	50.0
60.	61.	50	72.0	95.	96.	13	40.0
61.	62.	80	86	96.	97.	102	50.0
62.	63.	100	52.0	97.	98.	9	49.0
63.	64.	69	42.4	98.	99.	80	51.0
64.	65.	83.5	86.8	99.	100.	0	39.0
65.	66.	72	68.0	100.	101.	71	49.6
66.	67.	80	78.0	101.	102.	71.5	55.0
67.	68.	72	62.6	102.	103.	40	50.0
68.	69.	63	54.0	103.	104.	37	41.0
69.	70.	76	38.0	104.	105.	107.5	40.0
70.	71.	75	36.0	105.	106.	90	42.0
71.	72.	60	30.0	106.	107.	342.5	44.0
72.	73.	33	16.6	107.	108.	80	78.0
73.	74.	56	25.0	108.	109.	120	44.0
74.	75.	75	36.0	109.	110.	25	46.0
75.	76.	82	32.0	110.	111.	10	50.0
76.	77.	358	31.0	111.	112.	38	54.0
77.	78.	359	60.0				
78.	79.	413	21.0				
79.	80.	55	50.0				

				Field Book of Pathway No. 8			
Station		Magnetic bearing.	Distance (in Metres).	Name of the Pathway		Magnetic bearing.	Distance (in Metres).
From	To			: Agamalai to Bodi (Via Eniparai			
(1)	(2)	(3)	(4)	Entrance	: From S. No. 2 of Melachokanathapuram Village.		
112.	113.	80	60.0	Ends	: Ends with Survey Field Number 52 in Uthukadu to Boothipuram path.		
113.	114.	81.5	50.0	Length of the pathway	: 2.6 kms.		
114.	115.	90	70.0	Width	: 1 metre		
115.	116.	79	60.0	Station		Magnetic bearing.	Distance (in Metres).
116.	117.	90	70.0	From	To		
117.	118.	81.5	79.0	(1)	(2)	(3)	(4)
118.	119.	56	85.0	1.	2.	43	80.0
119.	120.	61	70.0	2.	3.	37	74.0
120.	121.	36.5	51.0	3.	4.	33	179.6
121.	122.	324	44.0	4.	5.	351	182.0
122.	123.	41.5	50.0	5.	6.	356	228.0
123.	124.	324	49.0	6.	7.	351	211.0
124.	125.	37	40.0	7.	8.	11	304.4
125.	126.	0	48.0	8.	9.	4.5	302.0
126.	127.	52.5	60.0	9.	10.	13.5	210.0
127.	128.	41	50.0	10.	11.	23	22.0
128.	129.	66	51.0	11.	12.	26	335.0
129.	130.	68	55.0	12.	13.	26.5	218.0
130.	131.	67	54.0	13.	14.	34	250.0
131.	132.	61	54.4	14.	15.	35	95.0
132.	133.	60	57.0	15.	16.	31.5	88.0
133.	134.	57	56.0	16.	17.	43.5	72.0
134.	135.	75	71.0	17.	18.	48	70.0
				18.	19.	34	182.0
				19.	20.	41.5	69.0
				20.	21.	27.5	108.0
Annanagar				21.	22.	26.5	111.0
135.	136.	101.5	41.8	22.	23.	43	71.0
136.	137.	121	39.6	23.	24.	42	72.0
137.	138.	81	32.0	24.	25.	50	105.0

Field Book of Pathway No. 9				Station		Magnetic bearing.	Distance (in Metres).
Name of the Pathway	:	Kunderi to Bodi (Via) Arunkulam		From	To		
Entrance	:	From S. No. 23 of Unjalpathway		(1)	(2)	(3)	(4)
Ends	:	Ends with Southern side of Survey Field Number 58 of Agamalai.		28.	29.	30	22.2
Length of the pathway	:	8.3 kms.		29.	30.	17	33.8
Width	:	1 metre		30.	31.	36	30.0
				31.	32.	14	53.8
				32.	33.	63	59.0
				33.	34.	54	38.8
				34.	35.	77	42.2
				35.	36.	68	71.6
				36.	37.	72	92.0
				37.	38.	55	40.0
				38.	39.	25	64.6
				39.	40.	18	27.0
				40.	41.	45	116.0
				41.	42.	24	80.0
				42.	43.	355	30.6
				43.	44.	19	32.0
				44.	45.	25	36.4
				45.	46.	351	91.0
				46.	47.	345	99.0
				47.	48.	20	126.0
				48.	49.	25	56.0
				49.	50.	17	39.6
				50.	51.	11	34.0
				51.	52.	26	40.0
				52.	53.	30	25.0
				53.	54.	2	65.8
				54.	55.	34	67.0
				55.	56.	93	30.0
				56.	57.	28	72.0
				57.	58.	44	85.4
				58.	59.	57	64.0
				59.	60.	43	142.8
				60.	61.	49	107.0
				61.	62.	35	100.0
				62.	63.	78	102.0

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
63.	64.	70	75.0	98.	99.	28	70.0
64.	65.	47	59.0	99.	100.	18	31.0
65.	66.	58	40.0	Pannankadai Kunder pathway junction.			
66.	67.	56.5	86.0	100.	101.	338	55.0
67.	68.	72.5	70.0	101.	102.	346	56.0
68.	69.	81.5	77.0	102.	103.	2	77.0
69.	70.	45.5	88.0	103.	104.	8	40.0
70.	71.	47	80.0	104.	105.	28	74.0
71.	72.	56.5	143.4	105.	106.	0	69.8
72.	73.	71.5	51.0	106.	107.	12	54.0
73.	74.	45	158.0	107.	108.	348	49.6
74.	75.	51	46.0	108.	109.	0	42.0
75.	76.	38.5	59.0	109.	110.	2	59.0
76.	77.	48	51.0	110.	111.	345	71.0
77.	78.	52	45.4	111.	112.	10	69.6
78.	79.	61	41.4	112.	113.	357	64.0
79.	80.	48.5	90.4	113.	114.	358	90.0
80.	81.	16	74.0	114.	115.	0	65.0
81.	82.	11	70.0	115.	116.	0	59.0
82.	83.	353.5	35.0	116.	117.	5	79.0
83.	84.	109	36.0	117.	118.	343	59.0
84.	85.	30	79.6	118.	119.	342	55.0
85.	86.	28	69.4	119.	120.	2	138.0
86.	87.	44	52.8	120.	121.	352	80.0
87.	88.	64	56.8	121.	122.	16	134.0
88.	89.	60	45.0	122.	123.	45	70.0
89.	90.	51.5	37.0	123.	124.	18	60.0
90.	91.	31.5	83.0	124.	125.	0	59.0
91.	92.	37	48.0	125.	126.	325	109.6
92.	93.	42	33.0	126.	127.	7	50.0
93.	94.	36.5	35.8	127.	128.	10.5	108.0
94.	95.	24	20.0	128.	129.	11.5	105.0
95.	96.	12	33.0	129.	130.	11	102.0
96.	97.	26	45.0	130.	131.	300	75.0
97.	98.	18	40.0	131.	132.	295	60.0

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
132.	133.	290	50.0	17.	18.	83	80.0
133.	134.	295	75.2	18.	19.	84.5	100.0
134.	135.	316	75.0	19.	20.	90	89.6
135.	136.	283	69.6	20.	21.	75	85.0
136.	137.	315	58.0	21.	22.	60.5	91.0
137.	138.	249	62.0	22.	23.	51.5	84.0
138.	139.	317	65.0				

Field Book of Pathway No. 11**Field Book of Pathway No. 10**

Name of the Pathway : Panagodai to Bodi (Via) Arunkulam.
Entrance : From S. No.100 of Kunderi to Bodi Pathway
Ends : Ends with Survey Field Number 155 of Agamalai Village
Length of the pathway : 1.8 kms.
Width : 1 metres

Name of the Pathway : Muttukombai to Bodi (via) Ekkalakunder.
Entrance : Starting from S. No. 456 of Melachokkanathapuram in Village boundary.
Ends : Ends with Survey Field Number 40 of Agamalai Village.
Length of the pathway : 5.0 kms.
Width : 1 metre

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1.	2.	80	79.0	1.	2.	53	190.0
2.	3.	41	55.0	2.	3.	30	110.0
3.	4.	48	69.6	3.	4.	43	78.0
4.	5.	68	78.0	4.	5.	50	82.0
5.	6.	60	104.0	5.	6.	47	55.0
6.	7.	58	97.0	6.	7.	39	74.0
7.	8.	58.5	102.0	7.	8.	15	115.0
8.	9.	62	110.0	8.	9.	348	50.0
9.	10.	50	105.0	9.	10.	320	58.0
10.	11.	64	80.0	10.	11.	0	54.0
11.	12.	34	70.0	11.	12.	21	55.0
12.	13.	63	78.0	12.	13.	15	50.0
13.	14.	30	45.0	13.	14.	23	60.0
14.	15.	71	78.0	14.	15.	29	56.0
15.	16.	80	89.2	15.	16.	24	69.0
16.	17.	65	70.0	16.	17.	19	55.0

Station		Magnetic bearing.	Distance (in Metres)	Station		Magnetic bearing.	Distance (in Metres)
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
17.	18.	32	69.6	52.	53.	96	69.8
18.	19.	41	71.0	53.	54.	60	104.8
19.	20.	41	84.0	54.	55.	354	49.0
20.	21.	12.5	99.0	55.	56.	53	80.0
21.	22.	27.5	59.0	56.	57.	45.5	70.2
22.	23.	29	104.0	57.	58.	45	69.0
23.	24.	21	52.0	58.	59.	47	70.6
24.	25.	40	70.0	59.	60.	57.5	95.4
25.	26.	8	49.0	60.	61.	46	70.0
26.	27.	44	69.6	61.	62.	36	74.6
27.	28.	356	55.0	62.	63.	29	75.2
28.	29.	0	51.6	63.	64.	25	79.2
29.	30.	37	57.0	64.	65.	30	59.6
30.	31.	8	49.0	65.	66.	40	64.0
31.	32.	4	56.4	66.	67.	50	70.2
32.	33.	5	69.6				
33.	34.	3	100.0				
34.	35.	64	78.0				
35.	36.	54.5	59.0				
36.	37.	53	56.0				
37.	38.	51	54.0				
38.	39.	54	55.0				
39.	40.	54	44.0				
40.	41.	55	57.0				
41.	42.	71	54.6				
42.	43.	44	44.2				
43.	44.	43.5	64.6				
44.	45.	39	74.4				
45.	46.	40	56.0				
46.	47.	45	74.4				
47.	48.	35	58.0				
48.	49.	22.5	54.6				
49.	50.	45	70.0				
50.	51.	44	69.0				
51.	52.	17.5	109.6				

Station		Magnetic bearing.	Distance (in Metres).
From	To		
(1)	(2)	(3)	(4)
1.	2.	41.5	54.0
2.	3.	351.5	102.0
3.	4.	358	97.0
4.	5.	1.5	77.0
5.	6.	8.5	48.2
6.	7.	17.5	64.0
7.	8.	1	64.2

Field Book of Pathway No. 12

Name of the Pathway : Pitchankarai pathai

Entrance : Starting in Station No. 43 of Mundal Seradiparai of Kottagudi village.

Ends : Ends with Pitchankarai shed and Survey Field Number 21 of Agamalai Village.

Length of the pathway : 3.7 kms.

Width : 1 metre

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
8.	9.	338.5	55.0	43.	44.	302	66.0
9.	10.	16.5	55.0	44.	45.	346	94.0
10.	11.	15	87.0	45.	46.	309.5	80.0
11.	12.	53.5	80.0	46.	47.	351	106.0
12.	13.	19	76.4	47.	48.	310	95.0
13.	14.	27.5	71.0	48.	49.	341	90.0
14.	15.	11.5	32.2	49.	50.	305	90.0
15.	16.	37.5	45.0	50.	51.	347.5	85.0
16.	17.	348.5	50.0	51.	52.	308	75.0
17.	18.	26	25.0	52.	53.	334	70.0
18.	19.	328	40.0	53.	54.	284	75.0
19.	20.	342	33.0	54.	55.	353	60.0
20.	21.	324	16.0				
21.	22.	327	44.0				
22.	23.	335	45.0				
23.	24.	325.5	44.0				
24.	25.	314	94.0				
25.	26.	323	60.0				
26.	27.	5.5	87.6				
27.	28.	17.5	48.0				
28.	29.	65	20.0				
29.	30.	347	29.6				
30.	31.	301	46.4				
31.	32.	25	65.0				
32.	33.	316	69.2				
33.	34.	45	102.0				
34.	35.	358	79.0				
35.	36.	56	83.0				
36.	37.	331.5	90.0				
37.	38.	322	90.0				
38.	39.	350.5	100.0				
39.	40.	25.5	68.0				
40.	41.	358	80.0				
41.	42.	295	82.0				
42.	43.	347	105.0				

Field Book of Pathway No. 13

Name of the Pathway : Uthamparai pathai
Entrance : Starting in Station No. 40 of Periyasolai pathai (Pathway No. 15).
Ends : Ends with Survey Field Number 83 of Agamalai Village.
Length of the pathway : 2 kms.
Width : 1 metre

Station		Magnetic bearing.	Distance (in Metres).
From	To		
(1)	(2)	(3)	(4)
1.	2.	50	40.0
2.	3.	830	46.0
3.	4.	343	60.0
4.	5.	339	40.0
5.	6.	350	60.0
6.	7.	345	62.6
7.	8.	357	76.0
8.	9.	5	36.0
9.	10.	357.5	29.6
10.	11.	6	56.0
11.	12.	358	55.0

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
12.	13.	356	20.0	2.	3.	276.5	118.0
13.	14.	5	68.0	3.	4.	283	160.0
14.	15.	354	56.0	4.	5.	253.5	132.0
15.	16.	341	23.0	5.	6.	278	137.0
16.	17.	245	20.0	6.	7.	301.5	122.0
17.	18.	9	20.0	7.	8.	308.5	96.0
18.	19.	5.5	56.0	8.	9.	351	67.0
19.	20.	26	42.0	9.	10.	273	80.0
20.	21.	1	32.0	10.	11.	329	85.0
21.	22.	48	30.0	11.	12.	282	117.0
22.	23.	37	62.0	12.	13.	289.5	128.0
23.	24.	52	46.0	13.	14.	275	102.0
24.	25.	17.5	50.0				
25.	26.	28	31.0				
26.	27.	21	60.0				
27.	28.	36	27.0				
28.	29.	16	32.0				
29.	30.	5.5	160.0				
30.	31.	9	125.0				
31.	32.	73	120.0				
32.	33.	24	190.0				
33.	34.	55	210.0				
34.	35.	43	50.0				

Field Book of Pathway No. 15

Name of the Pathway : Periyasolaiparai pathai
Entrance : From Karuppasami Koil Survey Field Number 131 of Bodi North hills village Tie line 135 distance 20.0 (metres) of karuppasami koil.
Ends : Ends with Survey Field Number 98 of Agamalai
Length of the pathway : 3.0 kms.
Width : 1 metre

Field Book of Pathway No. 14

Name of the Pathway : Poocholaiparai pathai
Entrance : From station No. 11 of Periyasolaiparai pathai (Pathway No. 15)
Ends : Ends with Survey Field Number 221 of Agamalai.
Length of the pathway : 1.5 kms.
Width : 1 metre

Station		Magnetic bearing.	Distance (in Metres).
From	To		
(1)	(2)	(3)	(4)
1.	2.	17	25.0
2.	3.	326	57.2
3.	4.	5	16.2
4.	5.	325	16.4
5.	6.	351	67.4
6.	7.	3	57.4
7.	8.	356	23.0
8.	9.	15	37.0
9.	10.	335	25.0
10.	11.	5	34.4

Station		Magnetic bearing.	Distance (in Metres).
From	To		
(1)	(2)	(3)	(4)
1.	2.	283	140.0

Station		Magnetic bearing.	Distance (in Metres).	Field Book of Pathway No. 16			
From	To			Name of the Pathway	:		
(1)	(2)	(3)	(4)	Entrance	:		
11.	12.	350	108.0	Ends	:	From station No. 8 of Paruthipodu pathai	
12.	13.	339	53.0	Length of the pathway	:	2.5 kms.	
13.	14.	341	44.2	Width	:	1 metre	
14.	15.	2	62.0				
15.	16.	335	67.2				
16.	17.	298	71.0				
17.	18.	340	78.0				
18.	19.	328	36.0				
19.	20.	305	35.0				
20.	21.	350	100.0				
21.	22.	339	39.6				
22.	23.	351	66.4				
23.	24.	327.5	56.4				
24.	25.	333	90.4				
25.	26.	335	94.0				
26.	27.	308	70.0				
27.	28.	298	72.0				
28.	29.	318.5	43.2				
29.	30.	10	55.8				
30.	31.	330	42.0				
31.	32.	319.5	82.8				
32.	33.	333	50.0				
33.	34.	330	104.0				
34.	35.	341	62.0				
35.	36.	5	51.0				
36.	37.	315	60.0				
37.	38.	300	46.0				
38.	39.	312	54.0				
39.	40.	336	90.0				
40.	41.	314.5	132.0				
41.	42.	294.5	86.0				
42.	43.	314	83.0				
43.	44.	320	94.0				
44.	45.	313	88.0				
45.	46.	315	99.0				
46.	47.	322	54.6				
47.	48.	336	86.0				

Station		Magnetic bearing.	Distance (in Metres).
From	To		
(1)	(2)	(3)	(4)
1.	2.	324	15.0
2.	3.	340	109.0
3.	4.	349.5	84.0
4.	5.	9	77.4
5.	6.	27	70.0
6.	7.	20	65.0
7.	8.	15.5	99.0
8.	9.	20.5	81.0
9.	10.	7	60.0
10.	11.	29	55.0
11.	12.	16.5	17.4
12.	13.	36	55.0
13.	14.	20	55.2
14.	15.	7	95.4
15.	16.	15	29.0
16.	17.	55	110.0
17.	18.	12	105.0

Station		Magnetic bearing.	Distance (in Metres).
From	To		
(1)	(2)	(3)	(4)
18.	19.	10	120.0
19.	20.	33.5	28.0
20.	21.	16.5	120.0
21.	22.	14	120.0
22.	23.	32	105.0
23.	24.	31.5	100.0
24.	25.	33	110.0
25.	26.	3	115.0
26.	27.	8.5	100.0
27.	28.	353	320.0

Field Book of Pathway No. 18

Name of the Pathway : Valasai pathai
 Entrance : From station No. 953. of Bodi village in village Boundary
 Ends : Ends with Survey Field Number 750 of Bodi north village
 Length of the pathway : 4.2 kms.
 Width : 4 metres

Station		Magnetic bearing.	Distance (in Metres).
From	To		
(1)	(2)	(3)	(4)
1.	2.	14	15.0
2.	3.	357	155.0
3.	4.	322	84.0
4.	5.	52	40.0
5.	6.	45	91.6
6.	7.	333.5	33.2
7.	8.	299	98.0
8.	9.	340	52.4
9.	10.	25.5	27.8
10.	11.	49	48.2
11.	12.	345.5	107.2
12.	13.	348	122.4
13.	14.	27.5	28.0
14.	15.	352.5	82.0
15.	16.	343	30.6
16.	17.	354	80.0
17.	18.	17	62.0
18.	19.	357	67.2
19.	20.	342	18.2
20.	21.	5	89.6
21.	22.	342	57.6
22.	23.	335	60.0
23.	24.	353	59.8
24.	25.	15	64.4
25.	26.	322	57.6
26.	27.	341	47.2
27.	28.	330	73.2

Field Book of Pathway No. 17

Name of the Pathway : Paruthipudu pathai
 Entrance : From station No. 18 of Periyasolai pathai
 Ends : Ends with Survey Field Number 236 of Agamalai village
 Length of the pathway : 0.5 kms.
 Width : 1 metre

Station		Magnetic bearing.	Distance (in Metres).
From	To		
(1)	(2)	(3)	(4)
1.	2.	11	60.0
2.	3.	19	40.0
3.	4.	8	76.0
4.	5.	329	20.0
5.	6.	6	22.0
6.	7.	347	130.0
7.	8.	10	130.0

Station		Magnetic bearing.	Distance (in Metres).	Station		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
28.	29.	300.5	32.0	61.	62.	10	24.0
29.	30.	355	40.4	62.	63.	356	20.0
30.	31.	12	24.2	63.	64.	38	37.8
31.	32.	326	15.0	64.	65.	30	82.0
32.	33.	315	27.4	65.	66.	42	88.0
33.	34.	34	43.0	Field Book of Pathway No. 19			
34.	35.	80	45.6	Name of the Pathway : Sitharai parai pathai			
35.	36.	7	61.6	Entrance : From Survey Field Number 750 and station No. 51 of valasai pathai			
36.	37.	352	48.0	Ends : Ends with Survey Field Number 644 of Agamalai village			
37.	38.	2.5	34.6	Length of the pathway : 1.7 kms.			
38.	39.	91	10.0	Width : 1 metre			
39.	40.	45	124.0	Station No.		Magnetic bearing.	Distance (in Metres).
40.	41.	22	92.2	From	To		
41.	42.	8	144.0	(1)	(2)	(3)	(4)
42.	43.	2	145.8	1.	2.	310	58.0
43.	44.	25	76.2	2.	3.	275	62.0
44.	45.	9	138.8	3.	4.	345	55.0
45.	46.	28	166.8	4.	5.	316	45.0
46.	47.	1	30.0	5.	6.	318	46.0
47.	48.	26.5	77.8	6.	7.	301	58.0
48.	49.	18.5	61.8	7.	8.	358	54.4
49.	50.	10.5	63.8	8.	9.	322.5	69.6
Sathakoil				9.	10.	0	59.0
50.	51.	356	55.0	10.	11.	318	70.4
51.	52.	29	121.2	11.	12.	318.5	53.6
52.	53.	35.5	70.0	12.	13.	336	70.4
53.	54.	40	82.4	13.	14.	348	98.4
54.	55.	57	65.0	14.	15.	358	49.2
55.	56.	33	81.4	15.	16.	328	61.0
56.	57.	17.5	58.0	16.	17.	341	57.0
57.	58.	13.5	51.0	17.	18.	340	54.6
58.	59.	24	25.6				
59.	60.	157	18.0				
60.	61.	8	91.0				

Station		Magnetic bearing.	Distance (in Metres).	Field Book of Pathway No. 21			
From	To			Name of the Pathway	:		
(1)	(2)	(3)	(4)	Entrance	:	From station No.14 of Athiyuthu pathai	
18.	19.	338	59.0	Ends	:	Ends with Survey Field Number 679 of Agamalai	
19.	20.	0	60.0	Length of the pathway	:	1.7 kms.	
20.	21.	350	65.8	Width	:	1 metre	
21.	22.	351	70.0				
22.	23.	354	55.0				
23.	24.	0	94.0				
24.	25.	41.5	70.0				
25.	26.	36	89.6				
26.	27.	55	62.0				
27.	28.	43	55.0				
28.	29.	38	50.0				
Field Book of Pathway No. 20							
Name of the Pathway	:	Athiyuthupathai					
Entrance	:	From station No. 66 of Valasalai pathai					
Ends	:	Ends with middle of Survey Field Number 579 and 709 of Agamalai					
Length of the pathway	:	0.5 kms.					
Width	:	1 metre					
Station No.		Magnetic bearing.	Distance (in Metres).	Station No.		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1.	2.	40	91.0	1.	2.	32	60.0
2.	3.	30	26.8	2.	3.	61	40.0
3.	4.	103	25.0	3.	4.	50	45.0
4.	5.	18	32.0	4.	5.	30	60.0
5.	6.	42	12.0	5.	6.	24	84.0
6.	7.	47	28.6	6.	7.	36	66.0
7.	8.	27	48.4	7.	8.	14	75.0
8.	9.	205	29.0	8.	9.	30	58.0
9.	10.	20.5	64.0	9.	10.	30.5	54.4
10.	11.	23.5	49.0	10.	11.	23.5	55.2
11.	12.	28	60.0	11.	12.	8	49.6
12.	13.	30.5	40	12.	13.	33	70.0
13.	14.	31	23.0	13.	14.	87	104.0
				14.	15.	59	94.6
				15.	16.	42	70.0
				16.	17.	37	95.2
				17.	18.	47	55.2
				18.	19.	4	56.0
				19.	20.	46	70.4
				20.	21.	26	95.0
				21.	22.	25	80.0
				22.	23.	352	74.4
				23.	24.	5	91.0
				24.	25.	43.5	69.6
				25.	26.	357	69.2

Field Book of Pathway No. 22

Name of the Pathway : Mallipatty pathai
 Entrance : From station No. 1127 of Bodi path way village in village boundary
 Ends : Ends with Survey Field Number 319 of Bodi north hills village
 Length of the pathway : 3.5 kms.
 Width : 1 metre

Field Book of Pathway No. 23

Name of the Pathway : Kokkitiyodu pathai
 Entrance : From station No. 78 of Unjal pathai
 Ends : Ends with Survey Field Number 413 of Bodi north hills village
 Length of the pathway : 2.1 kms.
 Width : 1 metre

Station No.		Magnetic bearing.	Distance (in Metres).	Station No.		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
1.	2.	265	70.0	1.	2.	42	68.0
2.	3.	7	78.0	2.	3.	37.5	75.0
3.	4.	26	117.0	3.	4.	52	78.0
4.	5.	7	96.0	4.	5.	42	64.0
5.	6.	332.5	90.4	5.	6.	40	49.0
6.	7.	307	130.0	6.	7.	42	75.6
7.	8.	330	134.4	7.	8.	333	44.8
8.	9.	318.5	124.4	8.	9.	53.5	64.0
9.	10.	319.5	104.4	9.	10.	317	54.0
10.	11.	327	94.6	10.	11.	41	65.0
11.	12.	331	90.4	11.	12.	341.5	64.0
12.	13.	341	94.0	12.	13.	331.5	60.0
13.	14.	339	110.0	13.	14.	336	60.0
14.	15.	331.5	118.0	14.	15.	317	70.0
15.	16.	315	84.0	15.	16.	341	136.0
16.	17.	316	78.0	16.	17.	322	84.0
17.	18.	312.5	95.2	17.	18.	270	64.4
18.	19.	313	97.2	18.	19.	351	69.0
19.	20.	320	85.0	19.	20.	280	44.8
20.	21.	334	110.0	20.	21.	343	69.0
21.	22.	343	115.0	21.	22.	334	56.0
22.	23.	348	124.0	22.	23.	291	44.0
23.	24.	354	165.0	23.	24.	0	54.2
24.	25.	2	110.0	24.	25.	324	54.6
25.	26.	3	99.0	25.	26.	345	84.0
26.	27.	0	950.0	26.	27.	317	70.0
				27.	28.	0	86.0

Station No.		Magnetic bearing.	Distance (in Metres).	Station No.		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
28.	29.	346	96.0	17.	18.	353	52.8
29.	30.	18	77.0	18.	19.	359.5	100.0
30.	31.	327	56.0	19.	20.	35.5	74.2
31.	32.	330	60.0	20.	21.	15	46.0
32.	33.	302	43.0	21.	22.	359.5	55.8

Field Book of Pathway No. 24

Name of the Pathway : Unjalpathai
Entrance : From Survey Field Number 1127 of Bodi village in village boundary.
Ends : Ends with Survey Field Number 422 of Bodi north hills village
Length of the pathway : 2.5 kms.
Width : 1 metre

Station No.		Magnetic bearing.	Distance (in Metres).
From	To		
(1)	(2)	(3)	(4)
1.	2.	18	83.6
2.	3.	24	176.0
3.	4.	43.5	290.0
4.	5.	30.5	145.6
5.	6.	51.5	95.0
6.	7.	36	212.0
7.	8.	55	45.0
8.	9.	32	50.6
9.	10.	19	49.4
10.	11.	16	45.0
11.	12.	5	28.6
12.	13.	357.5	70.6

Konderivannan Kodai

13.	14.	8.5	9.6
14.	15.	341	57.0
15.	16.	1	72.0
16.	17.	4.5	57.0

Mallipatty pathai Junction

48.	49.	17	82.0
49.	50.	326	52.2
50.	51.	314	63.0

Station No.		Magnetic bearing.	Distance (in Metres).	Station No.		Magnetic bearing.	Distance (in Metres).
From	To			From	To		
(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
51.	52.	341	63.0	85.	86.	63.5	62.0
52.	53.	308	40.0	86.	87.	57.5	45.4
53.	54.	331	60.0	87.	88.	50.5	70.0
54.	55.	312	54.0	88.	89.	60.5	69.0
55.	56.	313.5	53.0	89.	90.	51.5	82.0
56.	57.	321	56.0	90.	91.	40	52.8
57.	58.	347.5	81.4	91.	92.	31.5	83.0
58.	59.	346.5	60.0	Chinnamudakku pathai junction			
59.	60.	5.5	46.8	92.	93.	359	36.4
60.	61.	326.5	17.4	93.	94.	325	55.0
61.	62.	6.5	43.0	94.	95.	324	38.0
62.	63.	0.5	41.8	95.	96.	10	29.4
63.	64.	349	82.0	96.	97.	11	49.4
64.	65.	345	39.2	97.	98.	351	39.6
65.	66.	332.5	37.0	98.	99.	343.5	68.0
66.	67.	353	66.0	99.	100.	336	38.0
67.	68.	8.5	143.6	100.	101.	338.5	36.0
68.	69.	21	73.6	101.	102.	353	30.6
69.	70.	16	49.0	102.	103.	316	48.0
70.	71.	17.5	107.0	103.	104.	324.5	31.6
71.	72.	63	37.0	104.	105.	13	20.0
72.	73.	27.5	72.2	105.	106.	337.5	37.4
73.	74.	27.5	79.0	106.	107.	331	37.0
74.	75.	34.5	20.0	107.	108.	328	96.0
75.	76.	35	52.0	108.	109.	344	36.0
76.	77.	92.5	28.0	109.	110.	326	21.4
Kookiktodu pathai Junction				110.	111.	335	35.0
77.	78.	81	56.4	111.	112.	355.5	43.0
78.	79.	83.5	53.0	112.	113.	290	27.0
79.	80.	54	30.0	113.	114.	339	33.0
80.	81.	81.5	79.0	114.	115.	350	26.8
81.	82.	53	66.0	115.	116.	0	28.0
82.	83.	58.5	53.0	116.	117.	8.5	20.0
83.	84.	68.5	30.8	117.	118.	52	22.0
84.	85.	35	56.0	118.	119.	31	40.0

Field Book of Pathway No. 25		<i>Station No.</i>		<i>Magnetic bearing.</i>	<i>Distance (in Metres).</i>
Name of the Pathway	: Chinnamudakku pathai	┌──────────┐			
Entrance	: From Station No. 92 of Unjal pathai.	<i>From</i>	<i>To</i>		
		(1)	(2)	(3)	(4)
Ends	: Ends with Survey Field Number 238 of Bodi north hills Agamalai village	28.	29.	333	57.0
		29.	30.	346	88.4
Length of the pathway	: 2.5 kms.	30.	31.	14	89.6
Width	: 1 metre	31.	32.	337	94.0
		32.	33.	345	95.0
		33.	34.	21	96.0
		34.	35.	33.5	56.0
		35.	36.	8	77.0
		36.	37.	325	70.0
		37.	38.	313	84.4
		38.	39.	301	56.0
		39.	40.	311	54.4
		40.	41.	314	54.0

<i>Station No.</i>		<i>Magnetic bearing.</i>	<i>Distance (in Metres).</i>
┌──────────┐			
<i>From</i>	<i>To</i>		
(1)	(2)	(3)	(4)
1.	2.	51	34.0
2.	3.	3.5	25.6
3.	4.	28.5	56.0
4.	5.	56	74.0
5.	6.	3.5	84.4
6.	7.	25	29.0
7.	8.	18	26.2
8.	9.	19	45.6
9.	10.	21	55.0
10.	11.	50	22.8
11.	12.	40	27.4
12.	13.	59	50.8
13.	14.	34	83.4
14.	15.	25.5	30.2
15.	16.	38	75.0
16.	17.	56.5	60.0
17.	18.	72	55.0
18.	19.	47.5	75.0
19.	20.	33	73.4
20.	21.	6	70.0
21.	22.	5	55.0
22.	23.	35	85.0
23.	24.	358	84.0
24.	25.	20	54.0
25.	26.	0	50.0
26.	27.	325	40.0
27.	28.	20	89.0

Field Book of Pathway No. 26

Name of the Pathway	: Kundanji to Sothuparai (via) Kuravankuli
Entrance	: From station No. 179 of Agamalai to Periyakulam (via) Uradipathai
Ends	: Ends with starting point pathway No.6
Length of the pathway	: 0.9 kms.
Width	: 1 metre

<i>Station No.</i>		<i>Magnetic bearing.</i>	<i>Distance (in Metres).</i>
┌──────────┐			
<i>From</i>	<i>To</i>		
(1)	(2)	(3)	(4)
1.	2.	253	108.0
2.	3.	305	54.0
3.	4.	253	108.0
4.	5.	232	65.0
5.	6.	244	109.0
6.	7.	243	111.0
7.	8.	270	98.0
8.	9.	208	115.0
9.	10.	153	97.0

Field Book of Pathway No. 27

AMENDMENT

Name of the Pathway	: Chinnamoonkil to Sothuparai (via) Mavuthu
Entrance	: From station No. 152 of Agamalai Periyakulam (via) Uradi
Ends	: Ends with Survey Field Number 2772 Thenkarai
Length of the pathway	: 1.4 kms.
Width	: 1 metre

In the said Notification—

(1) for the expression Madurai District the expression "Theni District" shall be substituted.

(2) for the expression "No.31, Alagapuri village the expression "No.16, Alagapuri Village" shall be substituted;

(3) for the expression "Survey field No.3" the expression "Survey field No.3/1" shall be substituted;

(4) for the expression "6.67 hectares" the expression "5.50 hectares" shall be substituted;

(5) for the entries under the heading "Boundary Description" the following entries shall be substituted, namely:—

Station No.		Magnetic bearing	Distance (in Meters)
From	To		
(1)	(2)	(3)	(4)
1.	2.	145	85.0
2.	3.	157.5	78.0
3.	4.	167	64.0
4.	5.	180	66.0
5.	6.	125	50.0
6.	7.	132	59.0
7.	8.	128	85.0
8.	9.	90	64.0
9.	10.	63	98.0
10.	11.	24	84.0
11.	12.	50	70.0
12.	13.	0	68.0
13.	14.	40	76.0
14.	15.	3	70.0
15.	16.	50	77.0
16.	17.	20	105.0
17.	18.	83	58.0
18.	19.	90	95.0

North:—The Boundary starts from the trijunction of Survey field numbers 1,2 and 3/1 of 16, Alagapuri Village and the boundary runs towards East and South along the southern and western side of Survey field number 2 till it reach the north east corner of Survey field number 3/2. Thence it runs West, South and East along the northern, western and southern sides of Survey field number 3/2 till it reach the trijunction point of Survey field numbers 3/1, 3/2 and 40 of 16, Alagapuri Village. All of 16, Alagapuri Village.

East:—Thence the boundary generally runs towards south east and south along the western southern and western sides of Survey number 40 and runs towards West and South along the northern and western sides of Survey field number 37 till it reaches the trijunction of Survey field numbers 37,4 and 3/1 of 16, Alagapuri Village. All of 16, Alagapuri Village.

South:—Thence the boundary runs towards west along the northern side of Survey field numbers 4 & 3/3 till it reaches the trijunction point of Survey field numbers 3/3, 3/1 and 1 of 16, Alagapuri Village. All of 16, Alagapuri Village.

West:—Thence the boundary runs towards North along the eastern side of Survey field number 1 till it reaches the starting point.

NOTIFICATION-II

[G.O. Ms. No. 31, Environment and Forests (FR14),
19th February 2010.]

No. II(2)/EF/227/2010.—In exercise of the powers conferred by Section 4 of the Tamil Nadu Forest Act, 1882 (Tamil Nadu Act V of 1882) the Governor of Tamil Nadu hereby make the following amendment to the Environment and Forests Department Notification No. II(2)/EFR/5998/89, published at page 755 of Part II-Section 2 of the *Tamil Nadu Government Gazette*, dated the 4th October 1969:—

AMENDMENT

In the said Notification for the expression "Vaigai Soil Conservation Scheme, Periyakulam the expression "Varushanadu Soil Conservation Scheme, Theni" shall be substituted.

Amendments to Notification under Tamil Nadu Forest Act.

NOTIFICATION-I

[G.O. Ms. No.31, Environment and Forests (FR14),
19th February 2010.]

No. II(2)/EF/226/2010.—In exercise of the powers conferred by Section 4 of the Tamil Nadu Forest Act, 1882 (Tamil Nadu Act V of 1882) the Governor of Tamil Nadu hereby makes the following amendments to the Environment and Forests Department Notification No. II(2)/EFR/5998/89, published at page 755 of Part II-Section 2 of the *Tamil Nadu Government Gazette*, dated the 4th October 1989:—

NOTIFICATION-III

[G.O. Ms. No. 31, Environment and Forests (FR14),
19th February 2010.]

No. II(2)/EF/228/2010.—In exercise of the powers conferred by Section 14 of the Tamil Nadu Forest Act, 1882 (Tamil Nadu Act V of 1882) the Governor of Tamil Nadu hereby makes the following amendment to the Environment and Forests Department Notification No. II(2)/EFR/6000/89, published at page 756 of Part II—Section 2 of the *Tamil Nadu Government Gazette*, dated the 4th October 1989:—

AMENDMENT

In the said Notification, for the expression “Madurai District at Madurai”; the expression “Theni District at Theni” shall be substitute.

DEBENDRANATH SARANGI,
Principal Secretary to Government.

HEALTH AND FAMILY WELFARE DEPARTMENT

Authorisation to the Police Officers of and above the rank of Deputy Superintendent of Police, Crime Branch CID to Initiate Prosecution of the offences under the Drugs and Cosmetics Act.

[G.O. Ms. No. 102, Health and Family Welfare, 13th April 2010, Panguni 30, Thiruvalluvar Aandu-2041.]

No. II(2)/HF/229/2010.—Under clause (b) of sub-section (1) of Section 32 of the Drugs and Cosmetics Act, 1940 (Central Act XXIII of 1940), the Governor of Tamil Nadu hereby authorises the Police Officers not lower than the rank of Deputy Superintendent of Police, Crime Branch, CID to institute prosecution for the offences under Chapter IV of the said Act, on the basis of the cases detected and referred by the Directorate of Drugs Control, Tamil Nadu, Chennai.

V.K. SUBBURAJ,
Principal Secretary to Government.

LABOUR AND EMPLOYMENT DEPARTMENT

Disputes between Workmen and Managements referred to Industrial Tribunal for adjudication.

பிரதீப் ஸ்டெயின்லஸ் இந்தியா பிரைவேட் லிமிடெட்,
சென்னை.

[அரசாணை (டி) எண் 179, தொழிலாளர் மற்றும் வேலைவாய்ப்பு (அ2)த் துறை, 30 மார்ச் 2010]

No. II(2)/LE/230/2010.—இந்த ஆணையின் இணைப்பில் குறிப்பிட்டுள்ள பொருள் தொடர்பாக பிரதீப் ஸ்டெயின்லஸ் இந்தியா பிரைவேட் லிமிடெட், சென்னை என்ற நிர்வாகத்திற்கும் சென்னை ஏற்றுமதி வளாக ஊழியர்கள் மற்றும் பொது தொழிலாளர் சங்கத்துக்குமிடையே தொழிற் தகராறு எழுந்துள்ளது என்று அரசு கருதுவதாலும்;

மேற்சொன்ன தகராறை நீதிமன்றத் தீர்ப்புக்காக அனுப்புவது அவசியமென்று தமிழ்நாடு ஆளுநர் அவர்கள் கருதுவதாலும்;

1947-ஆம் ஆண்டு தொழில் தகராறுகள் சட்டத்தின் (மத்திய சட்டம் XIV/1947) 10(1)(c) பிரிவிலும், 10(1)(d) பிரிவின் வரம்பு நிபந்தனையிலும் வழங்கியுள்ள அதிகாரங்களைக் கொண்டு தமிழ்நாடு ஆளுநர் அவர்கள் மேற்சொன்ன தகராறு, சென்னை தொழிற் தீர்ப்பாயத்தின் தீர்ப்புக்காக அனுப்பப்பட வேண்டும் என்று இதனால் ஆணையிடப்படுகிறது.

மேலும், 1947-ஆம் ஆண்டு தொழிற் தகராறுகள் சட்டத்தின் 10(2) பிரிவின் கீழ், இந்த ஆணையைப் பெற்றுக்கொண்ட நாளிலிருந்து மூன்று மாதங்களுக்குள் தீர்ப்பு அளிக்காமாறு சென்னை தொழிற் தீர்ப்பாயம் கேட்டுக்கொள்ளப்படுகிறது.

இணைப்பு

வ.எண்	கோரிக்கை எண்.	எழுவினா
(1)	(2)	(3)
1	1.	“தொழிலாளர்களுக்கு கீழ் குறிப்பிட்டுள்ள முறையில் கிரேடு நிர்ணயம் செய்து அடிப்படை சம்பளம், ஆண்டு ஊதிய உயர்வு நிர்ணயம் செய்ய வேண்டும் என்ற கோரிக்கை நியாயமானதா உரிய உத்தரவுகள் பிறப்பிக்கவும்”.
		ஹெல்பர் - 2,000-100-2,500-150
		செமி ஸ்கில்டு - 3,000-150-3,750-250
		ஸ்கில்டு - 4,000-250-5,250-400
		செமி ஸ்கில்டு - 6,000-400-8,000-600
2	2.	“தொழிலாளர்களுக்கு 1960 ஆம் ஆண்டை அடிப்படையாகக் கொண்ட பஞ்சப்படி புள்ளியில் 1000 புள்ளிக்கு 1,500/- ரூபாயும், 1000 புள்ளிக்கு மேல் ஒவ்வொரு புள்ளிக்கும் ரூ.2/- பஞ்சப்படியாக வழங்க வேண்டும் என்ற கோரிக்கை நியாயமானதா உரிய உத்தரவுகள் பிறப்பிக்கவும்”.
3	3.	“தொழிலாளர்களுக்கு தற்போது வழங்கி வரும் அடிப்படை சம்பளத்தில் தலா 25% தொகையை வீட்டு வாடகைப்படியாக வழங்க வேண்டும் என்ற கோரிக்கை நியாயமானதா உரிய உத்தரவுகள் பிறப்பிக்கவும்”.
4	4.	“தொழிலாளர்களுக்கு தற்போது வழங்கி வரும் அடிப்படை சம்பளத்தில் தலா 20% தொகையை போக்குவரத்துப்படியாக வழங்க வேண்டும் என்ற கோரிக்கை நியாயமானதா உரிய உத்தரவுகள் பிறப்பிக்கவும்”.
5	5.	“5 வருடத்திற்கு மேல் பணிபுரியும் தொழிலாளர்களுக்கு சர்வீஸ் வெயிட்டேஜாக ஆண்டொன்றுக்கு ரூ.50/- கணக்கிட்டு அளிக்க வேண்டும் என்ற கோரிக்கை நியாயமானதா உரிய உத்தரவுகள் பிறப்பிக்கவும்”.

(1)	(2)	(3)	AMENDMENT
6	6.	“தொழிலாளர்களுக்கு அட்டன்டன்ஸ் போனசாக மாதம் ரூ.300/- வழங்க வேண்டும் என்ற கோரிக்கை நியாயமானதா உரிய உத்தரவுகள் பிறப்பிக்கவும்”.	In the said Notification, under the heading, “C. Representatives of Employers:—, for the item “9. Thiru A. Shajahan Sait, No.23, Chamiers Road, Nandanam, Chennai-35. ... Member”, the following item shall be substituted, namely:— “9, Haojee Ln. Er.S. Shajahan, M.J.F., Chief Executive, Venus Civil Engineers, No.6, Tamukkam Complex Building, First Floor, Tallakulam, Madurai-2. ... Member”.
7	7.	“ஆண்டுக்கு தலா 2 செட் சீருடை வழங்க வேண்டும், தையல் கூலியாக ஆண்களுக்கு ரூ.500/- பெண்களுக்கு ரூ.250/- வழங்க வேண்டும் என்ற தொழிற்சங்கத்தின் கோரிக்கை நியாயமானதா, உரிய உத்தரவுகள் பிறப்பிக்கவும்”.	
8	8.	“மாதம் ஒன்றுக்கு சலவைப்படியாக தலா ரூ.250/- வழங்க வேண்டும் என்ற தொழிற்சங்கத்தின் கோரிக்கை நியாயமானதா, உரிய உத்தரவுகள் பிறப்பிக்கவும்”.	
9	12.	“உஷ்ணப் பிரிவில் பணிபுரியும் தொழிலாளர்களுக்கு மாதமொன்றுக்கு தலா ரூ.100/- வெப்ப அலவன்ஸ் வழங்க வேண்டும் என்ற தொழிற்சங்கத்தின் கோரிக்கை நியாயமானதா. உரிய உத்தரவுகள் பிறப்பிக்கவும்”.	
10	16.	“அனைத்து தொழிலாளர்களுக்கும் ஆண்டொன்றுக்கு ஆண்களுக்கு தலா 2 செட் ஷீ, பெண்களுக்கு 2 செட் செருப்பு வழங்க வேண்டும் என்ற தொழிற்சங்கத்தின் கோரிக்கை நியாயமானதா. உரிய உத்தரவுகள் பிறப்பிக்கவும்”.	

ச. ஆறுமுகம்,
அரசு இணைச் செயலாளர்.

Nomination of certain person as Chairman and Members to Tamil Nadu Construction Workers Welfare Board under Tamil Nadu Manual Workers (Regulation of Employment and Conditions of Work) Act, 1982.

Amendment to Notification

[G.O. Ms. No. 62, Labour and Employment (I2),
7th April 2010, Panguni 24, Thiruvalluvar Aandu-2041.]

No. II(2)/LE/231/2010.—In exercise of the powers conferred by sub-sections (3) and (5) of Section 6 of the Tamil Nadu Manual Workers (Regulation of Employment and Conditions of Work) Act, 1982 (Tamil Nadu Act 33 of 1982), the Governor of Tamil Nadu hereby makes the following amendment to the Labour and Employment Department Notification No.II(2)/LE/123(c-3)/2010, published at pages 2-4 of Part II — Section 2 of the *Tamil Nadu Government Gazette* Extraordinary, dated the 1st March 2010.

[F.No.9/44/2009-CRD (NPR)]

C. CHANDRAMOULI,
Registrar General of Citizen Registration.

ENDORSEMENT

In Tamil Nadu, the field work for data collection relating to all persons, who are usually residing within the jurisdiction of their respective Local Registers shall be undertaken between 1st June, 2010 and 15th July, 2010.

D. JOTHI JAGARAJAN,
Secretary to Government.