[Regd. No. TN/CCN/467/2009-11.

[R. Dis. No. 197/2009. [Price: Rs. 4.80 Paise.



TAMIL NADU **GOVERNMENT GAZETTE**

PUBLISHED BY AUTHORITY

No. 13]

CHENNAI, WEDNESDAY, APRIL 7, 2010 Panguni 24, Thiruvalluvar Aandu-2041

Part VI—Section 1

Notifications of interest to the General Public issued by Heads of Departments, Etc.

NOTIFICATIONS BY HEADS OF DEPARTMENTS, ETC.

CONTENTS	Pages
GENERAL NOTIFICATIONS	
Tamil Nadu General Sales Tax Act/Central Sales Tax Act—படிவம் காணாமல் போனது பற்றிய அறிவிக்கை Tamil Nadu Multistoried and Public Building Rules:	90
Declaration of Multistoried Building Area for construction of Residential Building at Padur Village, Chengalpet Taluk, Kancheepuram District	90-91
Declaration of Multistoried Building Area for construction of Residential Building in Thiruvenkatasamy Road at Coimbatore Corporation	91-93
Declaration of Multistoried Building Area for construction of Residential and Commercial Buildings in Covai Rural Village, Coimbatore Corporation at Coimbatore District	93-94
Tamil Nadu Town and Country Planning Act:	
Variation to the Sanctioned Detailed Development Plan No. IV of Nagapattinam Local Planning Area	94-95
Approval of Detailed Development Plan No. 8 of Tiruchengode Local Planning Authority	97-98
Approval of Alagapuram Detailed Development Plan No. 3 of Salem Local Planning Area	98-99
Preparation of Reddiyur Draft Detailed Development Plan No. 4 of Salem Local Planning Area	99
Approval of Suramangalam Detailed Development Plan No. 1 of Salem Local Planning Authority—Errata	100
JUDICIAL NOTIFICATIONS	
Holidays for the Chief Judicial Magistrate Court and all the Subordinate Criminal Courts in Karur District for the Year 2010	96
Code of Criminal Procedure—Conferment of Powers	96-97

NOTIFICATIONS BY HEADS OF DEPARTMENTS, ETC.

GENERAL NOTIFICATIONS

Missing of Form 17

(Roc. 422/2010 B2.)

No. VI(1)/112/2010.

Whereas it has been brought to the notice of the under signed by the Commercial Tax Officer, Periyakulam, Assessment circle that the following 17 Form are missing:—

SI. No. Form 17
(1) (2)

1 270506
(First and Second copy)

It is hereby notified for information of the general public and authority concerned that the above form are invalid and if any one use this above said forms will render himself liable to take penal action as per law.

Madurai-20, 22nd March 2010. B. DEVENDHIRA POOPATHY, Deputy Commissioner (CT).

Declaration of Multistoried Building Area for Construction of Residential Building at Padur Village, Chengalpet Taluk, Kancheepuram District.

(Roc. No. 13415/2009/Special Cell.)

No. VI(1)/113/2010.

The land comprising Survey Numbers 445-1(pt.), 2A(pt.), 2B(pt.), 2C(pt.), 2D(pt.), 446, 447-1B, 2A, 2C1, 2C2, 2C3, 451-1, 2, 3, 452-1, 2A1, 2A2, 2B, 453-1, 3, 547-4A, 5, 6, 548-2, 551-2, 3, 4, 5, 6A, 7A, 8, 552-3, 4A, 5, 553-1, 2, 554-1, 555-1A, 572, 573-1, 574-1, 2A, 575-1, 2A and 576 of Padur Village, Chengalpet Taluk, Kancheepuram District.

Having an extent of 21.10 Acres is declared as Multistoried Building area for construction of Residential Building as per Tamil Nadu Multistoried and Public Building Rules, 1973 and instructions thereof. In addition to that it is also requested to ensure the compliance of the following conditions at the time of clearing the building plans.

Conditions:

- 1. The Multistoried building for Residential use should be constructed with the conditions that the building should satisfy the parameters of floor Space Index, Plot Coverage etc., The applicant should obtain necessary clearance and No Objection Certificate (NOC) for the plans from the Authorities *viz.*, Director of Town and Country Planning, Highway Department, Traffic Police Department, Fire Service Department, Chennai Regional Advisory Committee, Airport Authority, Microwave Authority, Tamil Nadu Pollution Control Board and the applicant should obtain EIA clearance from the Ministry of Environment and Forest Department, Government of India as per Central Government's latest notification and submit it to the authority concerned.
- 2. Multi-storeyed Building should be earthquake resistive structure. The building shall be designed by the Registered Professional Structural Engineer who shall also sign in all the plans.
- 3. The Multi-storeyed Building should be designed based on NBC 2005 and an undertaking to this effect should be given by the developer to this office.
 - 4. Ramp must be provided to lift room for the use of physically challenged persons.
 - 5. Ramp ratio should be mentioned in the plan as 1:10.
 - 6. Sufficient parking space should be provided near the entrance for physically challenged persons.
 - 7. Suitable drainage facilities and sewage treatment plant should be provided with in the complex.
- 8. Sufficient lifts must be provided as per Tamil Nadu Lifts Act and Rules 1997 and the building should satisfy all the Multistoreyed and Public Building Rules 1973.

Apr. 7, 2010]

- 9. Fire Extinguishers should be provided wherever necessary and also no-objection certificate must be obtained from the Fire Service Authority.
- 10. Rain Water Harvesting must be provided as per the G.O. Ms. No. 138, MA and WS Department, dated 11th October 2002 and the arrangements should follow the contour at the site. Detailed Map should be produced.
- 11. Suitable arrangements should be made for tapping solar energy in the buildings, as per G.O. Ms. No. 112, MA and WS Department, dated 16th August 2002.
- 12. FAR and plot coverage should be adopted as per rules and regulations and instructions thereof, applicable for Multistoried Building.
 - 13. Height between each floor shall not be less than 3 m.
 - 14. Open stair case for emergency escape should be provided in the building.
 - 15. Expansion joints of 75 MM gap have to be provided in the building at 45 metres intervals.
- 16. No objection certificate from Highways and Rural Works Department about road widening, if any should be provided.
 - 17. Necessary Lightning arresters should be provided.
 - 18. The adequacy of STP has also to be certified by an authority for recycling of waste water.
- 19. The applicant should furnish the full detailed report about the water supply (both drinking and other purposes) and necessary undertakings to obtain water from the Government desalination plants to provided sufficient water supply to the consumers in the building with excessive extraction of more ground water in that area.
- 20. Affidavit regarding stability of the building which has to be duly signed by the Architect, owner and structural design engineer in a Rs. 100/- stamp paper on the following norms.

Structural designs are made after conducting due soil test of the site as per National Building Code 2005 and amendments thereof so as to be safe against all natural calamities like earthquake etc. and the struture will be safe in all respects and we all are held responsible for the structural safety/stability.

- (1) Signature of the applicant/owner.
- (2) Signature of the Architect with seal and registrtaion number.
- (3) Signature of the structural design engineer with seal and registration number.
- 21. The applicant should submit a detailed report on the Rain Water Harvestings Arrangements based on the contour of the site with sketches and contour Map.
- 22. Culverts if necessary are to be constructed across the water channel by the applicant at his own expenses for which necessary NOC has to be obtained from the concerned department and produced while submitting building plans for approval.

Special Conditions:-

The conditions imposed by the S.E., Water Resource Department, PWD, Chennai-5 *vide* letter No. வ.அ1/கோ.349/2009, dated 10th September 2009 should be complied by the applicant while executing the construction work.

Chennai, 19th March 2010. PANKAJ KUMAR PANSAL, Director of Town and Country Planning.

Declaration of Multistoried Building Area for Construction of Residential Building in Thiruvenkatasamy Road at Coimbatore Corportaion.

(Roc. No. 5660/2010/Special Cell.)

No. VI(1)/114/2010.

The land comprising in Town Survey Numbers 358 and 359, Ward H(8), Block 10, Thiruvenkatasamy Road, Coimbatore Corporation having an extent of 1505 Sq.m. is declared as Multistoried Building area for construction of Residential building as per Tamil Nadu Multistoried and Public Building Rules, 1973 and instructions thereof. In addition to that it is also requested to ensure the compliance of the following conditions at the time of clearing the building plans.

Conditions:

- 1. The Multistoried building for Residential use should be constructed with the conditions that the building should satisfy the parameters of Floor Space Index, Plot Coverage, etc., The applicant should obtain necessary clearance and No Objection Certificate (NOC) for the plans from the Authorities *viz.*, Commissioner of Town and Country Planning, Highway Department, Traffic Police Department, Fire Service Department, Chennai Regional Advisory Committee, Airport Authority, Tamil Nadu Pollution Control Board and the applicant should obtain EIA clearance from the Ministry of Environment and Forest Department, Government of India as per Central Government's latest notification and submit it to the authority concerned.
- 2. Multistoreyed Building should be earthquake resistive structure. The building shall be designed by the Registered Professional Structural Engineer who shall also sign in all the plans.
- 3. The Multistoreyed Building should be designed based on NBC 2005 and an undertaking to this effect should be given by the developer to this office.
 - 4. Ramp must be provided to lift room for the use of physically challenged persons.
 - 5. Ramp ratio should be mentioned in the plan as 1:10.
 - 6. Sufficient parking space should be provided near the entrance for physically challenged persons.
 - 7. Suitable drainage facilities and sewage treatment plant should be provided with in the complex.
- 8. Sufficient lifts must be provided as per Tamil Nadu Lifts Act and Rules, 1997 and the building should satisfy all the Multistoreyed and Public Building Rules, 1973.
- 9. Fire Extinguishers should be provided wherever necessary and also no-objection certificate must be obtained from the Fire Service Authority.
- 10. Rain Water Harvesting must be provided as per the G.O. Ms. No. 138, MA and WS department, dated 11th October 2002 and the arrangements should follow the contour at the site. Detailed Map should be produced.
- 11. Suitable arrangements should be made for tapping solar energy in the buildings, as per G.O. Ms. No. 112, MA and WS Department, dated 16th August 2002.
- 12. FSI and plot coverage should be adopted as per rules and regulations and instructions thereof, applicable for Multistoried Building.
 - 13. Height between each floor shall not be less than 3 m.
 - 14. Open stair case for emergency escape should be provided in the building.
 - 15. Expansion joints of 75 mm gap have to be provided in the building at 45 metres intervals.
- 16. No objection certificate from Highways and Rural Works Department about road widening, if any should be provided.
 - 17. Necessary lightning arresters should be provided.
 - 18. The adequacy of STP has also to be certified by an authority for recycling of waste water.
- 19. The applicant should furnish the full detailed report about the water supply (both drinking and other purposes) and necessary undertakings to obtain water from the Government desalination plants to provide sufficient water supply to the consumers in the building without excessive extraction of more ground water in that area.
- 20. Affidavit regarding stability of the building which has to be duly signed by the Architect, owner and structural design engineer in a Rs. 100/- stamp paper on the following norms.

Structural designs are made after conducting due soil test of the site as per National Building Code, 2005 and amendments thereof so as to be safe against all natural calamities like earthquake, etc. and the struture will be safe in all respects and we all are held responsible for the strutural safety/stability.

- (1) Signature of the applicant/owner.
- (2) Signature of the Architect with seal and registration number.
- (3) Signature of the structural design engineer with seal and registration number.
- 21. The applicant should submit a detailed report on the Rain Water Harvestings Arrangements based on the contour of the site with sketches and contour Map.

22. Culverts if necessary are to be constructed across the water channel by the applicant at his own expenses for which necessary NOC has to be obtained from the concerned department and produced while submitting building plans for approval.

Declaration of Multistoried Building Area for Construction of Residential and Commercial Buildings in Covai Rural Village, Coimbatore Corporation at Coimbatore District.

(Roc. No. 5946/2010/Special Cell.)

No. VI(1)/115/2010.

The land comprising in Town Survey Numbers 57pt., 58-1, 58-2pt., 59-1, 59-3, 60-1, 60-3, 93, 95, 96-1, 96-2, 97-1, 97-2, 98-2, 99, 100-1, 100-2, 100-3, 101, 102-1, 102-2, 103-1, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129-2, 130-2, 131-2, 132-2, 133, 134-2pt., 135, 136, 137pt., 138pt., 140-1pt., 140-2pt., 141-1, 141-2, 142, 143, 144, 145, 146-2, 146-3, 147-2pt., 148-1pt., 149pt., 159pt., 160, 65-1, 65-2, 66-1, 66-2, 74 of Covai Rural Village, Coimbatore Corporation, Coimbatore Local Planning Area. Having an extent of 106.20 Acres is declared as Multistoried Building area for construction of Residential and Commercial Buildings as per Tamil Nadu Multistoried and Public Building Rules, 1973 and instructions thereof. In addition to that it is also requeted to ensure the compliance of the following coditions at the time of clearing the building plans.

Conditions:

- 1. The Multistoried Building for Residential and Commercial use should be constructed with the conditions that the building should satisfy the parameters of Floor Space Index, Plot Coverage, etc., The applicant should obtain necessary clearance and No Objection Certificate (NOC) for the plans from the Authorities *viz.*, Commissioner of Town and Country Planning, Highway Department, Traffic Police Department, Fire Service Department, Chennai Regional Advisory Committee, Airport Authority, Microwave Authority, Tamil Nadu Pollution Control Board and the applicant should obtain EIA clearance from the Ministry of Environment and Forest Department, Government of India as per Central Government's latest notification and submit it to the authority concerned.
- 2. Multistoreyed Building should be earthquake resistive structure. The building shall be designed by the Registered Professional Structural Engineer who shall also sign in all the plans.
- 3. The Multistoreyed Building should be designed based on NBC 2005 and an undertaking to this effect should be given by the developer to this office.
 - 4. Ramp must be provided to lift room for the use of physically challenged persons.
 - 5. Ramp ratio should be mentioned in the plan as 1:10.
 - 6. Sufficient parking space should be provided near the entrance for physically challenged persons.
 - 7. Suitable drainage facilities and sewage treatment plant should be provided with in the complex.
- 8. Sufficient lifts must be provided as per Tamil Nadu Lifts Act and Rules, 1997 and the building should satisfy all the Multistoreyed and Public Building Rules, 1973.
- 9. Fire Extinguishers should be provided wherever necessary and also no-objection certificate must be obtained from the Fire Service Authority.
- 10. Rain Water Harvesting must be provided as per the G.O. Ms. No. 138, MA and WS department, dated 11th October 2002 and the arrangements should follow the contour at the site. Detailed Map should be produced.
- 11. Suitable arrangements should be made for tapping solar energy in the buildings, as per G.O. Ms. No. 112, MA and WS department, dated 16th August 2002.
- 12. FSI and plot coverage should be adopted as per rules and regulations and instructions thereof, applicable for Multistoried Building.
 - 13. Height between each floor shall not be less than 3 m.
 - 14. Open stair case for emergency escape should be provided in the building.
 - 15. Expansion joints of 75 mm gap have to be provided in the building at 45 metres intervals.
- 16. No objection certificate from Highways and Rural Works Department about road widening, if any should be provided.
 - 17. Necessary lightning arresters should be provided.

- 18. The adequacy of STP has also to be certified by an authority for recycling of waste water.
- 19. The applicant should furnish the full detailed report about the water supply (both drinking and other purposes) and necessary undertakings to obtain water from the Government desalination plants to provide sufficient water supply to the consumers in the building without excessive extraction of more ground water in that area.
- 20. Affidavit regarding stability of the building which has to be duly signed by the Architect, owner and structural design engineer in a Rs. 100/- stamp paper on the following norms.

Structural designs are made after conducting due soil test of the site as per National Building Code 2005 and amendments thereof so as to be safe against all natural calamities like earthquake etc. and the structure will be safe in all respects and we all are held responsible for the structural safety/stability.

- (1) Signature of the applicant/owner
- (2) Signature of the Architect with seal and registration number.
- (3) Signature of the structural design engineer with seal and registration number.
- 21. The applicant should submit a detailed report on the Rain Water Harvestings Arrangements based on the contour of the site with sketches and contour Map.
- 22. Culverts if necessary are to be constructed across the water channel by the applicant at his own expenses for which necessary NOC has to be obtained from the concerned department and produced while submitting building plans for approval.

Special Conditions:—

As per the G.O. (2D) No. 34, Housing and Urban Development Department, dated 3rd February 2010, the following conditions should be adopted.

- 1. As per the Tamil Nadu Pollution Control Board recommendation, a buffer zone of 250M radius to be left out from the Sewage treatment plant and residential development ought not be allowed within the buffer zone. Hence, no building should be constructed within 250M from the eastern side where the sewage treatment plant exist or Pollution Control Board NOC should be obtained if any, building need to be constructed in the buffer zone.
- 2. As there is only 60' wide road as access for the entire 122 acre of proposed land which is not considered enough, several new roads, shall be proposed to connect the main road.
- 3. The existing canals/water bodies running across the site should be maintained as is where is condition and should in no case be encroached by whatsoever means.

Chennai, 600 002, 29th March 2010.

PANKAJ KUMAR BANSAL, Director of Town and Country Planning.

Variation to the Sanctioned Detailed Development Plan No. IV of Nagapattinam Local Planning Area.

(Roc. No. 12509/2008/DP3.)

No. VI(1)/116/2010.

In exercise of the powers conferred under sub-section (1) of Section 33 of Town and Country Planning Act, 1971 (Act No. 35 of 1972) the Director of Town and Country Planning, Chennai in his letter Roc. No. 12509/08/DP3, dated 5th March 2010 proposes to make the following variation to the Sanctioned Detailed Development Plan No. IV of Nagapattinam Local Planning Area in the proceedings of the Director of Town and Country Planning, Chennai in Roc. No. 32456/86/DP2, dated 30th December 1986 and published in *Tamil Nadu Government Gazette*, No. VI(1)214/88, Part VI—Section 1, dated 2nd March 1988. The fact of this approval in Form No. 12 published in *Tamil Nadu Government Gazette*.

- 2. Any person affected or interested in this draft variation may within SIXTY days from the date of publication of this notification in the *Tamil Nadu Government Gazette*, can represent in person or submit in writing to the Member-Secretary/ Municipal Commissioner, Nagapattinam Local Planning Authority/Municipality any objection and suggestions relating thereto.
- 3. The variation with plan may be inspected free of cost any time during office hours at the above said Local Planning Authority office.

VARIATION

- 1. Wherever the expression Map No. 5 DDP(T.T.) No. 15/86 occurs, the expression "DDP(V)DTCP No. 2/2010" shall be added at the end and to be read with.
- 2. In schedule III (Form 5) Part II the existing entries for F7F7 Road all the entries in Column 1 to 8 shall be deleted regarding T.S. Nos. 807/2B1pt., 816pt., 817pt., 818pt., 819pt., 820pt., 822-2pt. and 823pt.
- 3. In schedule III (Form No. 5) Part II the existing entries for G16G16 Road all the entries in Column 1 to 8 shall be deleted regarding T.S. Nos. 807-2B1pt., 822-2pt. and 823pt.
- 4. In schedule III (Form No. 5) Part II, the existing entries for G18G18 Road all the entries in Column 1 to 8 shall be deleted regarding T.S. Nos. 809-1pt., 817pt. and 818pt.
- 5. In schedule III (Form No. 5) Part II regarding the G17G17 all the entries in Column No. 1 to 8 shall be deleted.
- 6. In schedule III (Form No. 5) Part II, regarding the F7F7 Road the expression 1030 feet in Column No. 4 shall be deleted and the expression 280 feet shall be substituted.
- 7. In schedule III (Form No. 5) Part II regarding the G16G16 Road the expression 600 feet in Column No. 4 shall be deleted and the expression 280 feet shall be substituted.
- 8. In schedule III (Form No. 5) Part II regarding the G18G18 Road the expression 594 feet in Column No. 4 shall be deleted and the expression 340 feet shall be substituted.

No. of street or distinguishing letters.	Situation.	New street or widening.	Length of street.	Width of street.	Distance between building line.	Width of metaling.	Remarks.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Road F7F7	East West Road connecting F9F9 Road with T.S. No. 815 west Boundary comprising T.S.Nos. 841pt., 814pt., 815pt. and 809-1pt. of Ward No. 4, Block-24.	New Street	280'	40'	60'	18'0"	
Road G16G16	North South Road connecting G19G19 and T.S. No. 807-2B1 Boundary comprising T.S.Nos. 807-2B2pt., 803-Bpt. and 809-1pt. of Ward No. 4, Block No. 24.	New Street	280'	30'	50'	18'0"	
Road G18G18	North South Road connecting G19G19 and T.S. No. 809-1 South Boundary comprising T.S.Nos. 808-2pt., 809-2pt of Ward No. 4, Block No. 24	New Street	340'	30'	50'	18'0"	

Chennai, 5th March 2010. PANKAJ KUMAR BANSAL, Director of Town and Country Planning.

JUDICIAL NOTIFICATIONS

Holidays for the Chief Judicial Magistrate Court and all the Subordinate Criminal Courts in Karur District for the Year 2010.

(Roc. No. 53/2009/A1.) (D.No. 459/2010.)

No. VI(1)/117/2010.

Notice is hereby given that the Chief Judicial Magistrate Court, Karur, all the other Subordinate Criminal Courts in Karur District will be closed for the following holidays during the year 2010.

HOLIDAYS FOR ALL THE SUBORDINATE CRIMINAL COURTS IN KARUR DISTRICT DURING THE YEAR 2010.

All Saturdays and Sundays except 30-01-2010, 27-03-2010, 04-09-2010, 18-09-2010 and 30-10-2010 which are fixed as working days.

January	01	Friday	New Year's day
January	13	Wednesday	Court Holiday
January	14	Thursday	Tamil New Year's day / Pongal
January	15	Friday	Thiruvalluvar day
January	26	Tuesday	Republic day
March	16	Tuesday	Telugu New year's day
April	02	Friday	Good Friday
April	14	Wednesday	Dr. B.R. Ambedkar Birthday
September	01	Wednesday	Krishna Jayanthi
September	09	Thursday	Court Holiday
September	10	Friday	Ramzan
November	04	Thursday	Court Holiday
November	05	Friday	Deepavali
November	17	Wednesday	Bakrid
December	17	Friday	Muharram

Note: As Uzhavar Thirunal (16-01-2010), Meelad-Un-Nabi (27-02-2010), Mahaveer Jayanthi (28-03-2010), May Day (01-05-2010), Independence Day (15-08-2010), Vinayakar Chathurthi (11-09-2010), Gandhi Jayanthi (02-10-2010), Ayutha Pooja (16-10-2010) Vijaya Dasami (17-10-2010) and Christmas (25-12-2010) fall on Saturdays and Sundays, they are not shown in the above list.

Chief Judicial Magistrate Court, Karur, 10th March 2010. G. ILANGOVAN, Chief Judicial Magistrate.

Conferment of Powers

(Roc. No. 2586/2010-B6.)

No. VI(1)/118/2010.

No. 52/2010.—In exercise of the powers conferred by Section 13 of the Code of Criminal Procedure, 1973 (Central Act 2 of 1974), the High Court hereby appoints the following 8 Deputy Tahsildars in Salem District to be the Special Judicial Magistrates for a period of 120 days from the date of assumption of charge and confers upon them the ordinary powers conferrable under this Code on a Judicial Magistrate to try such cases which were earlier triable and dealt with by an erstwhile Judicial Second Class Magistrate.

SI. No. (1)	Thiruvalargal/Thirumathi (2)	Designation (3)	District (4)	Days (5)
1.	K. Shanthi	Deputy Tahsildar	Salem	120 days
2.	V. Eswaramoorthy	Do.	Do.	Do.
3.	S. Krishnan	Do.	Do.	Do.
4.	C. Saraswathy	Do.	Do.	Do.
5.	J. Devikarani	Do.	Do.	Do.
6.	A.K. Prakash	Do.	Do.	Do.
7.	E. Pugalenthi	Do.	Do.	Do.
8.	J. Loganathan	Do.	Do.	Do.

(Roc. No. 2586/2010-B6.)

No. VI(1)/119/2010.

No. 53/2010.—In exercise of the powers conferred by Section 13 of the Code of Criminal Procedure, 1973 (Central Act 2 of 1974), the High Court hereby appoints the following 8 Deputy Tahsildars in Tiruchirappalli District to be the Special Judicial Magistrates for a period of 120 days from the date of assumption of charge and confers upon them the ordinary powers conferrable under this Code on a Judicial Magistrate to try such cases which were earlier triable and dealt with by an erstwhile Judicial Second Class Magistrate.

SI. No.	Thiruvalargal/Thirumathi	Designation	District	Days
(1)	(2)	(3)	(4)	(5)
1.	R. Kalavathy	Deputy Tahsildar	Tiruchirappalli	120 days
2.	A. Metilda	Do.	Do.	Do.
3.	R. Naganathan	Do.	Do.	Do.
4.	V. Rengarajan	Do.	Do.	Do.
5.	A. Kulathur Pandian	Do.	Do.	Do.
6.	R. Radhakrishnan	Do.	Do.	Do.
7.	M. Srinivasan	Do.	Do.	Do.
8.	K. Kaliamoorthy	Do.	Do.	Do.

High Court, Madras, 23rd March 2010.

S. VIMALA, Registrar General.

LATE NOTIFICATIONS:

NOTIFICATIONS BY HEADS OF DEPARTMENTS, ETC.

GENERAL NOTIFICATIONS

Approval of the Detailed Development Plan No. 8 of Tiruchengode Local Planning Authority.

FORM No. 12

ரு.க. எண் 6615/1989/எப்**1.**)

(Under Rule 17 of the preparation and sanction of Detailed Development Plan Rules)

No. VI(1)/120/2010.

Under Section 29 of Tamil Nadu Town and Country Planning Act, 1971, the Director of Town and Country Planning has approved the detailed Development Plan No. 8, prepared the planning area describes below in Roc. No. 19468/2008/DPI, dated 20th May 2009.

(Here enter the area included in the plan)

SCHEDULE

Bounded on the North: By the Southern boundary of the T.S. Nos. 40, 41 to 49, 87, 86, 84, 83, 81/1pt., 81/2, 154/1 in Block-15 of Ward-B and northern boundary of T.S. Nos. 1, 5, 6 of Block-10, Ward-B and northern boundary of T.S. Nos. 16, 13 of Block-8 of Ward-B in 48, Kailasampalayam Village on the east: by the Southern boundary of T.S. Nos. 13, 14, 17 to 21, 51 of Block-8 of Ward-B and the Southern boundary of T.S. Nos. 51 of Block-10, of Ward-B and the southern boundary of T.S. Nos. 16/2A, 16/2D, 16/2E, 16/2F, 16/2G, 16/3, 42/2, 42/3, 44, 46, 45/2, 47/2, 47/1, 49, 50/1A, 50/1B, 50/2, 50/3, 51, 52/1, 53 to 55, 56/1, 56/2, 64/2, 65/2, 65/3, 66/1, 66/2 of Block No. 20 of Ward-B in 48, Kailasampalayam Village running along the Salem main Road:

on the West: By the eastern boundary of T.S. Nos. 136, 137, 192/1, 171, 165, 173, 175, 176, 180, 182, 185, 189 to 191 of Block No. 16 of Ward-B and the eastern boundary of T.S. Nos. 4, 5, 6, 7/1, 3, 1, 8 to 10, 18, 20, 22, 23/1, 50/3, 74, 75, 94, 25, 51/1, 43 to 46, 50, 52, 53, 54/1 of Block No. 18 of Ward-B, T.S. No. 14, 13-2, 12,11,15,16 of Block No. 19 of ward-B, running along the Kozhikal natham Road.

on the South: By the Southern boundary of T.S. Nos. 15/1, 15/2, 62, 63/1, 63/2, 66/1 and 66/2 of Block No. 20 of Ward-B in 48, Kailasampalayam Village.

Comprising T.S. Nos.

T.S. Nos. 13, 14, 16 to 21 of Block No. 8, T.S. Nos. 1 to 51 in Block No. 10, T.S. Nos. 1, 2/1, 2/2, 3 to 5, 6/1, 6/2, 7/1, 7/2, 8/1, 8/2, 9/1, 9/2, 10/1, 10/2, 1 to 15, 16/1A, 1B, 2A, 2B, 2C, 2D, 2E, 2F, 2G, 3, 4, 17 to 20, 21/1, 21/2, 22 to 41, 42/1 to 42/3, 43/1, 43/2, 44 in Block No. 11, T.S. Nos. 1 to 11, 12/1 to 12/3, 13 to 33, 34/1 to 34/3, 35 to 46, 47/1, 47/2, 48/1, 48/2, 49/1, 49/2, 50/1, 50/2, 51/1, 51/2, 52/1, 52/2, 53/1, 53/2, 54/1, 54/2, 55/1, 55/2, 56/1, 56/2, 57/1, 57/2, 58/1, 58/2, 59 to 68, 69/1, 69/2, 70 to 75, 76/1, 76/2, 77 to 84, 85/1, 85/2, 86 to 125, 126/1, 126/2, 127 to 132, 133/1, 133/2, 134 to 194, 195/1, 195/2, in Block No. 12, of Ward-B and T.S. Nos. 1, 2/1, to 2/14, 3/1, to 3/5 in Block No. 13, T.S. Nos. 1 to 31, 32/1, 32/2, 33/1, 33/2, 34/1, 34/2, 35/1, 35/2, 36/1, 36/2, 37/1 to 37/3, 38/1, 38/2, 39 to 48, 49/1, 49/2, 50 to 70, 71/1, 71/2, 72 to 76, 77/1, 77/2, 78 to 86, 87/1, 87/2, 88, 89/1, 89/2, 90 to 104 in Block No. 14 and T.S. Nos. 50 to 68, 69/1, 69/2, 70 to 81, 155/1, 155/2 in Block No. 15 and T.S. Nos. 192/2, 192/3, 193/1, 193/2, in Block No. 16 and T.S. Nos. 7/2, 19/2, 96 in Block No. 17 and T.S. No. 51/3, in Block No. 18 and T.S. Nos. 15/1, 15/2, in Block No. 19 and T.S. Nos. 1/1, 1/2, 2/1, 2/2, 3/1, 3/2, 4/1 to 4/3, 5 to 11, 12/1, 12/2, 13 to 26, 27/1, 27/2, 28 to 36, 37/1, 37/2, 38 to 41, 42/1, 42/2, 43 to 66 in Block No. 50 Extent of the scheme area is 69.174 hectares or 170.81 acres.

- 2. It shall come into operation from the date of publication of the notification in the Tamil Nadu Government Gazette.
- 3. A copy of the map of the area included in the plan will be kept for inspection and also available for sale during office hours in the office of the Local Planning Authority, for a period of three months.

Tiruchengode, 28th January 2010.

மா. இளங்கோவன், Member-Secretary, Tiruchengode Local Planning Authority.

Approval of Alagapuram Detailed Development Plan No. 3 of Salem Local Planning Area.

(Roc. No. 229/2001/SLPA)

(Under Rule 17 of the Preparation and Sanction of Detailed Development Plan Rules)

No. VI(1)121/2010.

Under Section 29 of the Tamil Nadu Town and Country Planning Act 1971, the Commissioner of Town and country Planning in his Proceedings Roc. No. 12257/2009/DPI, dated 11th December 2009 has approved and numbered, as Map No. 4 & 5/DDP(SR)DTCP No. 34/2009, the Alagapuram Detailed Development Plan No. 3 prepared for the Planning area described below:—

SCHEDULE

A. Boundary Description:

North: Southern boundary of S.F. Nos. 55, 57 and 58 of V.No. 30, Alagapuram Village and part of

Northern boundary of V.No. 30, Alagapuram Village.

East: Part of Western boundary of V.No. 54, Alagapurampudur Village.

South: Northern boundary of S.F. Nos. 76 (Part), 93, 92, 88, 85, 84 and 83 of V. No. 30, Alagapuram

Village.

West: Part of Eastern boundary of V.No. 29, Reddiyur Village.

B. Comprising Survey Numbers:

S.F. Nos. 56, 59 to 75, 77 to 82 of V.No. 30, Alagapuram Village.

C. Approximate area of Alagapuram Detailed Development Plan No. 3:

55.70.0 hectares.

- 2. It shall come into operation from the date of publication of the Notification in the Tamil Nadu Government Gazette.
- 3. A Copy of the map of the area included in the Plan will be kept for Inspection and available for sale during office hours in the office of the Salem Local Planning Authority for a period of three months.

Salem-5, 20th January 2010. இரா. வாழவந்தான். Member Secretary (In-charge), Salem Local Planning Authority.

Preparation of Reddiyur Draft Detailed Development Plan No. 4 of Salem Local Planning Area.

(Roc. No. 252/2003/SLPA)

(Under Rule 13 of the Preparation and Sanction of Detailed Development Plan Rules)

No. VI(1)122/2010.

- 1. The Draft Detailed Development Plan by the Local Planning Authority of Salem for the Area described in the Schedule is hereby published.
- 2 Any person affected by the Detailed Development Plan or interested in the Plan may within 60 days after publication in the *Tamil Nadu Government Gazette* communicate in writing or represent in person to the Member Secretary of the Salem Local Planning Authority any objection or suggestion relating thereto.
- 3. The Detailed Development Plan with all its enclosures may be inspected free of cost during office hours at the office of the Local Planning Authority. Copies of the Detailed Development Plan are also available at the office of the Salem Local Planning Authority for Sale at the following prices:—

1. Detailed Development Plan Map No. 3/DDP(SR)/DTCP No. 26/2009. .. Rs. 500/-

2. Draft Scheme Rules ... Rs. 500/-

SCHEDULE

Area bounded by:

In North: Part of southern boundary of V.No. 30. Alagapuram Village and S.F.Nos. 8, 15 and 18 of

V.No. 29. Reddiyur Village.

In East: Part of western boundary of V.No. 30. Alagapuram Village.

In South: Northern boundary of S.F.Nos. 50, 42, 41, 37 and 36 of V.No. 29. Reddiyur Village.

And

In West: Eastern boundary of S.F.Nos. 15 Part, 14 and 51 Part of V.No. 29. Reddiyur Village.

Comprising S.F. Nos.: 20 to 35, 43 to 49 of V.No. 29. Reddiyur Village.

Extent: hectares 55.76.0 approximately.

Salem-5, 23rd February 2010. **இரா. வாழவந்தான்.** Member Secretary (In-charge), Salem Local Planning Authority.

Approval of Suramangalam Detailed Development Plan No. 1 of Salem Local Planning Authority.

ERRATA TO NOTIFICATION

ரு.க. எண் 2561/2000/சேஉதிகு**.**)

The following errata are issued to the Notification No. VI(1)/22/2010, published at Page No. 12 in Part VI—Section 1 of the *Tamil Nadu Government Gazette* (Issue No. 2), dated 13th January 2010:—

ERRATA

At the end of page No. 12, the following Paragraphs shall be inserted-

- C. Approximate area of Suramangalam Detailed Development Plan No. 1. Extent: 112.43 acres.
- 2. It shall come into operation from the date of publication of the Notification in the Tamil Nadu Government Gazette.

Chennai-600 002, 29th March 2010. D. VIVEKANANDAN,

Director,

Stationery and Printing.